

Safety Data Sheet prepared to UN GHS Revision 3

1. Identification of the Substance/Mixture and the Company/Undertaking

No Information

1.1 Product Identifier 103RA1NL

> CARBOGUARD 904 PART A **Revision Date:** 05/30/2015 **Product Name:**

> > Supercedes Date: 29/05/2015

1.2 Relevant identified uses of the substance or mixture and uses

advised against

1.3 Details of the supplier of the safety data sheet

> Carboline Company Manufacturer:

> > 2150 Schuetz Road St. Louis, MO USA 63146

Regulatory / Technical Information: Contact Carboline Technical Services at

1-800-848-4645

Schlereth, Ken - ehs@stoncor.com **Datasheet Produced by:**

CHEMTREC 1-800-424-9300 (Inside US) Emergency telephone number:

CHEMTREC +1 703 5273887 (Outside US)

HEALTH - Pittsburgh Poison Control 1-412-681-6669

2. Hazard Identification

2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Acute, category 1 Hazardous to the aquatic environment, Chronic, category 1 Carcinogenicity, category 2 Corrosive to Metals, category 1 Reproductive Toxicity, category 2 Skin Corrosion, category 1 Skin Sensitizer, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

AMINOETHYLPIPERAZINE, CARBON BLACK, POLYOXYPROPYLENEDIAMINE, NONYL PHENOL

GHS HAZARD STATEMENTS

| Corrosive to Metals, category 1 | H290 | May be corrosive to metals. |
|--|--------|---|
| Skin Corrosion, category 1 | H314-1 | Causes severe skin burns and eye damage. |
| Skin Sensitizer, category 1 | H317 | May cause an allergic skin reaction. |
| Carcinogenicity, category 2 | H351 | Suspected of causing cancer. |
| Reproductive Toxicity, category 2 | H361 | Suspected of damaging fertility or the unborn child. |
| Hazardous to the aquatic environment, Acute, category 1 | H400 | Very toxic to aquatic life. |
| Hazardous to the aquatic environment, Chronic, category 1 | H410 | Very toxic to aquatic life with long lasting effects. |

GHS PRECAUTION PHRASES

| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
|--------------|---|
| P264 | Wash hands thoroughly after handling. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/ face protection. |
| P284 | Wear respiratory protection. |
| P301+310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P302+352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303+361+353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| P308+313 | IF exposed or concerned: Get medical advice/attention |
| P308+P313 | IF exposed or concerned: Get medical advice/attention |
| P333+313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P390 | Absorb spillage to prevent material damage. |
| P391 | Collect spillage. |
| P406 | Store in corrosive resistant/ container with a resistant inner liner. |

2.3 Other hazards

Not applicable

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

| CAS-No. | Chemical Name | <u>%</u> |
|-----------------|-------------------------|----------|
| 13463-67-7 | TITANIUM DIOXIDE | 25-50 |
| 25154-52-3 | NONYL PHENOL | 25-50 |
| 9046-10-0 | POLYOXYPROPYLENEDIAMINE | 10-25 |
| 1317-65-3 | LIMESTONE | 10-25 |
| 140-31-8 | AMINOETHYLPIPERAZINE | 2.5-10 |
| 1333-86-4 | CARBON BLACK | 2.5-10 |
| 28553-12-0 | DIISONONYL PHTHALATE | 0.1-1.0 |
| TRADE SECRET | POLYAMIDE WAX | 0.1-1.0 |
| 122-99-6 | 2-PHENOXYETHANOL | <0.1 |

| CAS-No. | GHS Symbols | GHS Hazard Statements | M-Factors |
|------------|-------------------------|------------------------------|-----------|
| 13463-67-7 | | | 0 |
| 25154-52-3 | GHS05-GHS07-GHS08-GHS09 | H302-314-361-400-410 | 0 |
| 9046-10-0 | GHS05-GHS07 | H302-312-314-412 | 0 |
| 1317-65-3 | GHS07 | H315-319 | 0 |
| 140-31-8 | GHS05-GHS07 | H312-314-317-412 | 0 |
| 1333-86-4 | GHS08 | H351 | 0 |
| 28553-12-0 | | | 0 |
| TRADE | GHS06 | H331 | 0 |
| SECRET | GH300 | пээт | U |
| 122-99-6 | GHS07 | H302-319 | 0 |

Additional Information:

The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

AFTER INHALATION: Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns. May be harmful if swallowed. Corrosive after repeated contact with skin and mucous membranes.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Vapors may spread long distances and ignite.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Evacuate personnel to safe areas. Use NIOSH approved respiratory protection. Use water spray to cool unopened containers.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Do not breathe vapours or spray mist. Ensure all equipment is electrically grounded before beginning transfer operations. Do not use sparking tools. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection.

PROTECTION AND HYGIENE MEASURES: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Heat, flames and sparks.

STORAGE CONDITIONS: Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

| Name | <u>%</u> | ACGIH TLV- | ACGIH TLV- | OSHA PEL- | OSHA PEL- | OEL Note |
|-------------------------|----------|--------------|-------------|------------|----------------|----------|
| · | | <u>TWA</u> | <u>STEL</u> | <u>TWA</u> | <u>CEILING</u> | |
| TITANIUM DIOXIDE | 25-50 | 10 MGM3 | N/E | 10 MGM3 | N/E | |
| NONYL PHENOL | 25-50 | N/E | N/E | N/E | N/E | |
| POLYOXYPROPYLENEDIAMINE | 10-25 | N/E | N/E | N/E | N/E | |
| LIMESTONE | 10-25 | N/E | N/E | 5 MGM3 | N/E | |
| AMINOETHYLPIPERAZINE | 2.5-10 | N/E | N/E | N/E | N/E | |
| CARBON BLACK | 2.5-10 | 3.0 MG/M3 | N/E | 3.5 MG/M3 | N/E | |
| DIISONONYL PHTHALATE | 0.1-1.0 | N/E | N/E | N/E | N/E | |
| POLYAMIDE WAX | 0.1-1.0 | N/E | N/E | N/E | N/E | |
| 2-PHENOXYETHANOL | <0.1 | 25.0 PPM SKI | NN/E | N/E | N/E | |
| | | | | | | |

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

EYE PROTECTION: Safety glasses with side-shields.

HAND PROTECTION: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious glovesRequest information on glove permeation properties from the glove supplier.

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location. Lightweight protective clothing

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Use only in an area equipped with explosion proof exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

| 9.1 | Information | on basic | physical a | and chemical | properties |
|-----|-------------|----------|------------|--------------|------------|
|-----|-------------|----------|------------|--------------|------------|

Appearance: Viscous Liquid, Various Colors

Physical State Liquid
Odor Mild

Odor threshold

pH N/D
Melting point / freezing point (°C) N/D

Boiling point/range (°C) N/A - N/A

Flash Point, (°C) 94

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive Not determined

limits

Vapour Pressure, mmHg N/A

Vapour density

Relative density

Solubility in / Miscibility with water Negligible

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Decomposition temperature (°C)

Viscosity Unknown

Explosive properties
Oxidising properties

9.2 Other information

VOC Content g/l: 21
Specific Gravity (g/cm3) 1.4

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50: N/D Inhalation LC50: N/D

Irritation: Unknown

Corrosivity: Unknown

Sensitization: Unknown

Repeated dose toxicity: Unknown

Carcinogenicity: Unknown

Mutagenicity: Unknown

Toxicity for reproduction: Unknown

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

| CAS-No. | <u>Chemical Name</u> | Oral LD50 | Dermal LD50 | Vapor LC50 |
|------------|----------------------|-------------------------|-------------|---------------|
| 13463-67-7 | TITANIUM DIOXIDE | 25000 mg/m3, oral (rat) | | Not Available |
| 25154-52-3 | NONYL PHENOL | 1620 mg/kg oral | | Not Available |

| 9046-10-0 | POLYOXYPROPYLENEDIAMINE | 480 mg/kg, oral, rat | 1550 mg/kg, dermal, rabbit | Not Available |
|-----------------|-------------------------|---------------------------|----------------------------|------------------|
| 1317-65-3 | LIMESTONE | 6450 mg/kg, oral, rat | | Not Available |
| 140-31-8 | AMINOETHYLPIPERAZINE | 2140 mg/kg, oral, rat | | Not Available |
| 1333-86-4 | CARBON BLACK | 8000 mg/kg oral, rat | | Not Available |
| TRADE SECRET | POLYAMIDE WAX | >2000 MG/KG, ORAL, RAT | | >5MG/M3 INH, RAT |
| 122-99-6 | 2-PHENOXYETHANOL | 1400 mg/kg, oral, rat | | |

Additional Information:

Causes burns. May be harmful if swallowed. Corrosive after repeated contact with skin and mucous membranes.

12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

Unknown

Unknown

Unknown

12.2 Persistence and degradability: Unknown

12.3 Bioaccumulative potential: Unknown

12.4 Mobility in soil: Unknown

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: Unknown

| CAS-No. | <u>Chemical Name</u> | EC50 48hr | IC50 72hr | LC50 96hr |
|-----------------|-------------------------|----------------|----------------|----------------|
| 13463-67-7 | TITANIUM DIOXIDE | No information | No information | No information |
| 25154-52-3 | NONYL PHENOL | No information | No information | No information |
| 9046-10-0 | POLYOXYPROPYLENEDIAMINE | No information | No information | No information |
| 1317-65-3 | LIMESTONE | No information | No information | No information |
| 140-31-8 | AMINOETHYLPIPERAZINE | No information | No information | No information |
| 1333-86-4 | CARBON BLACK | No information | No information | No information |
| 28553-12-0 | DIISONONYL PHTHALATE | No information | No information | No information |
| TRADE SECRET | POLYAMIDE WAX | No information | No information | No information |
| 122-99-6 | 2-PHENOXYETHANOL | No information | No information | No information |

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

14.1 UN number

UN 3066

14.2 UN proper shipping name
Paint
Technical name

N/A

14.3 Transport hazard class(es)
Subsidiary shipping hazard

N/A

14.4 Packing group

14.5 Environmental hazards Marine Pollutant: Yes

14.6Special precautions for userUnknownEmS-No.:F-A, S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Unknown

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name CAS-No.

No Sara 313 components exist in this product.

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

<u>Chemical Name</u> CAS-No.

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category:

EPA VOC Content Limit (g/l):

Product VOC Content (g/l)

Thinning Recommendations:

Application Recommendations:

Harmful if swallowed.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

 Chemical Name
 CAS-No.

 BARIUM SULFATE
 7727-43-7

 IRON OXIDE
 1309-37-1

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical NameCAS-No.BARIUM SULFATE7727-43-7IRON OXIDE1309-37-1

California Proposition 65:

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical Name CAS-No. TITANIUM DIOXIDE 13463-67-7 **CARBON BLACK** 1333-86-4 **DIISONONYL PHTHALATE** 28553-12-0 MICROCRYSTALLINE SILICA 14808-60-7 ETHYL BENZENE 100-41-4 **NAPHTHALENE** 91-20-3 **CUMENE** 98-82-8 **BENZENE** 71-43-2

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

 Chemical Name
 CAS-No.

 TOLUENE
 108-88-3

 BENZENE
 71-43-2

International Regulations: As follows -

* Canadian DSL:

No Information

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

| H302 | Harmful if swallowed. |
|------|--|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H351 | Suspected of causing cancer. |

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Reasons for revision

No Information

No Information