



Declare.™

Carbocoat 115 VOC Carboline Company

Final Assembly: Green Bay, Wisconsin, USA

Life Expectancy: Life of Structure

End of Life Options: Landfill (100%)

Ingredients:

Nepheline Syenite, Alkyd Resins, Light Aliphatic Petroleum Naphtha, Titanium Dioxide, Haematite, Carbon Black, Ethylbenzene, Quartz, Quaternary Ammonium Compounds, Bis(Hydrogenated Tallow Alkyl)dimethyl, Salts with Bentonite, 2-Ethylhexanoic Acid, Toluene

Living Building Challenge Criteria:

CRB-1007

VOC Content: 336 g/L

Declaration Status

EXP. 01 NOV 2020

VOC Emissions: N/A

LBC Red List Free

LBC Compliant

Declared

Declare.

Carbocoat 115 VOC Carboline Company

Final Assembly: Dayton, Nevada, USA

Life Expectancy: Life of Structure

End of Life Options: Landfill (100%)

Ingredients:

Nephelline Syenite, Alkyd Resins, Light Aliphatic Petroleum Naphtha, Titanium Dioxide, Haematite, Carbon Black, Ethylbenzene, Quartz, Quaternary Ammonium Compounds, Bis(Hydrogenated Tallow Alkyl)dimethyl, Salts with Bentonite, 2-Ethylhexanoic Acid, Toluene

Living Building Challenge Criteria:

CRB-1008

VOC Content: 336 g/L

Declaration Status

EXP. 01 NOV 2020

VOC Emissions: N/A

LBC Red List Free

LBC Compliant

Declared

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY

INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

CARBOLINE COMPANY

CARBOCOAT 115 VOC

Carbocoat 115 VOC is a fast drying, low VOC industrial maintenance, lead and chromate free, shop and field primer. It is especially designed for architectural ferrous metal or exposed structural steel, and is best applied by spray only. Carbocoat 115 VOC can be top coated with acrylics, alkyds or single package polyurethane finishes. It is often used as a construction primer for structural steel that will eventually reside in interior spaces.