



## Safety Data Sheet

Prepared in Accordance with HPR  
(SOR/2015-17)

### 1. Identification of the Substance/Mixture and the Company/Undertaking

- 1.1 Product Identifier** 35ADS1NL **Revision Date:** 08/17/2026  
**Product Name:** A/D FIREFILM III **Supersedes Date:** 10/11/2023  
**Version Number:** No Information
- 1.2 Relevant identified uses of the substance or mixture and uses advised against** Monocomponent industrial coating - Industrial use.
- 1.3 Details of the supplier of the safety data sheet**
- Importer:** Carboline, a Division of RPM Canada, a General Partnership  
200 Confederation Parkway, Unit 2  
Concord, Ontario L4K 4T8  
Phone:(800) 263-3112
- Manufacturer:** Carboline Global Inc.  
2150 Schuetz Road  
St.Louis, MO USA 63146
- Supplier:** Regulatory / Technical Information:  
Contact Carboline Technical Services at  
1-800-848-4645  
supplier
- Datasheet Produced by:** Brombach, Jennifer - regulatoryeurope@carboline.com
- 1.4 Emergency telephone number:** CHEMTREC +1 703 5273887 (Outside US)

### 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 3  
Carcinogenicity, category 2  
Reproductive Toxicity, category 1B

**2.2 Label elements****Symbol(s) of Product****Signal Word**

Danger

**Named Chemicals on Label**

BUTYL BENZYL PHTHALATE, MELAMINE

**HAZARD STATEMENTS**

|                                                           |         |                                                    |
|-----------------------------------------------------------|---------|----------------------------------------------------|
| Carcinogenicity, category 2                               | H351    | Suspected of causing cancer.                       |
| Reproductive Toxicity, category 1B                        | H360-1B | May damage fertility or the unborn child.          |
| Hazardous to the aquatic environment, Chronic, category 3 | H412    | Harmful to aquatic life with long lasting effects. |

**PRECAUTION PHRASES**

|           |                                                                           |
|-----------|---------------------------------------------------------------------------|
| P201      | Obtain special instructions before use.                                   |
| P202      | Do not handle until all safety precautions have been read and understood. |
| P273      | Avoid release to the environment.                                         |
| P284      | Wear respiratory protection.                                              |
| P308+313  | IF exposed or concerned: Get medical advice/attention.                    |
| P308+P313 | IF exposed or concerned: Get medical advice/attention                     |

**2.3 Other hazards**

No Information

**Results of PBT and vPvB assessment:**

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

**3. Composition/Information On Ingredients****3.2 Mixtures****Hazardous ingredients**

| <u>Name According to EEC</u> | <u>EINEC No.</u> | <u>CAS-No.</u> | <u>%</u>   | <u>Classifications</u> |                                              |
|------------------------------|------------------|----------------|------------|------------------------|----------------------------------------------|
| TITANIUM DIOXIDE             | 236-675-5        | 13463-67-7     | 10 - <30   |                        |                                              |
| MELAMINE                     | 203-615-4        | 108-78-1       | 5.0 - <10  | H351-361-373           | Carc. 2, Repr. 2, STOT RE 2                  |
| BUTYL BENZYL PHTHALATE       | 201-622-7        | 85-68-7        | 0.1 - <1.0 | H360-400-410           | Aquatic Acute 1, Aquatic Chronic 1, Repr. 1B |

**CAS-No.**13463-67-7  
108-78-1  
85-68-7**M-Factors****Remarks:** CAS No 13463-67-7: Note 10**Additional Information:** The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

### 4.1 Description of First Aid Measures

**AFTER INHALATION:** Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

**AFTER SKIN CONTACT:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**AFTER INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin. May be harmful if swallowed.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

When symptoms persist or in all cases of doubt seek medical advice.

## 5. Fire-fighting Measures

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known.

**FOR SAFETY REASONS NOT TO BE USED:** Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

No Information

### 5.3 Advice for firefighters

**SPECIAL FIREFIGHTING PROCEDURES:** In the event of fire, wear self-contained breathing apparatus. Cool containers / tanks with water spray. The product is not flammable.

**SPECIAL FIREFIGHTING PROTECTION EQUIPMENT:** No Information

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. For personal protection see section 8.

### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

### 6.4 Reference to other sections

No Information

## 7. Handling and Storage

### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING :** Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Avoid breathing vapors, mist or gas. Wash thoroughly after handling.

**PROTECTION AND HYGIENE MEASURES :** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Do not freeze.

**STORAGE CONDITIONS:** Do not freeze. Keep containers tightly closed in a dry, cool and well-ventilated place.

**7.3 Specific end use(s)**

The mixing and application to be in accordance with the technical data sheets.

**8. Exposure Controls/Personal Protection****8.1 Control parameters****Ingredients with Occupational Exposure Limits (US)**

| <u>Name</u>            | <u>CAS-No.</u> | <u>ACGIH TWA</u> | <u>ACGIH STEL</u> | <u>ACGIH Ceiling</u> |
|------------------------|----------------|------------------|-------------------|----------------------|
| TITANIUM DIOXIDE       | 13463-67-7     | 10 mg/m3         | N/E               | N/E                  |
| MELAMINE               | 108-78-1       | N/E              | N/E               | N/E                  |
| BUTYL BENZYL PHTHALATE | 85-68-7        | N/E              | N/E               | N/E                  |

| <u>Name</u>            | <u>CAS-No.</u> | <u>OSHA PEL</u> | <u>OSHA STEL</u> |
|------------------------|----------------|-----------------|------------------|
| TITANIUM DIOXIDE       | 13463-67-7     | 15 MGM3         | N/E              |
| MELAMINE               | 108-78-1       | N/E             | N/E              |
| BUTYL BENZYL PHTHALATE | 85-68-7        | N/E             | N/E              |

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

**8.2 Exposure controls****Personal Protection**

**RESPIRATORY PROTECTION:** No personal respiratory protective equipment normally required. In order to avoid inhalation of sanding dust, all sanding must be done wearing adequate dust mask. In case of insufficient ventilation wear suitable respiratory equipment.

**EYE PROTECTION:** Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses with side-shields.

**HAND PROTECTION:** Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier.

**BODY PROTECTION:** Lightweight protective clothing

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

**9. Physical and Chemical Properties****9.1 Information on basic physical and chemical properties**

|                                            |                              |
|--------------------------------------------|------------------------------|
| <b>Appearance:</b>                         | White Liquid                 |
| <b>Physical State</b>                      | Liquid                       |
| <b>Odor</b>                                | Mild Ammoniacal              |
| <b>Odor threshold</b>                      | N/D                          |
| <b>pH</b>                                  | 8-9                          |
| <b>Melting point / freezing point (°C)</b> | N/D                          |
| <b>Boiling point/range (°C)</b>            | 176 F (80 C) - 471 F (244 C) |
| <b>Flash Point (°C)</b>                    | None                         |
| <b>Evaporation rate</b>                    | Slower Than Ether            |

|                                                     |                           |
|-----------------------------------------------------|---------------------------|
| <b>Flammability (solid, gas)</b>                    | Not determined            |
| <b>Upper/lower flammability or explosive limits</b> | 0.6 - 17.4                |
| <b>Vapour Pressure, mmHg</b>                        | 17 @20C                   |
| <b>Vapour density</b>                               | Heavier than Air          |
| <b>Relative density</b>                             | Not determined            |
| <b>Solubility in / Miscibility with water</b>       | Dilutable                 |
| <b>Partition coefficient: n-octanol/water</b>       | Not determined            |
| <b>Auto-ignition temperature (°C)</b>               | Not determined            |
| <b>Decomposition temperature (°C)</b>               | Not determined            |
| <b>Viscosity</b>                                    | Not Determined            |
| <b>Explosive properties</b>                         | Not determined            |
| <b>Oxidising properties</b>                         | Not determined            |
| <b>Particle characteristics</b>                     | Not applicable to liquids |
| <b>9.2 Other information</b>                        | 45                        |
| <b>VOC Content g/l:</b>                             |                           |
| <b>Specific Gravity (g/cm3)</b>                     | 1.48                      |

## 10. Stability and Reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid

Do not freeze.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

## 11. Toxicological Information

### 11.1 Information on toxicological effects

**Acute Toxicity:**

Oral LD50: N/D

Inhalation LC50: N/D

**Irritation:** No information available.

**Corrosivity:** No information available.

**Sensitization:** No information available.

**Repeated dose toxicity:** No information available.

**Carcinogenicity:** No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** Reproductive Toxicity, category 1B  
Reproductive Toxicity, category 1B  
Reproductive Toxicity, category 1B  
Reproductive Toxicity, category 1B  
Reproductive Toxicity, category 1B

**STOT-single exposure:** No information available

**STOT-repeated exposure:** No information available

**Aspiration hazard:** No information available

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested.  
Data on individual components are tabulated below:

| <u>CAS-No.</u> | <u>Chemical Name</u>   | <u>Oral LD50</u>        | <u>Dermal LD50</u>      | <u>Vapor LC50</u>            | <u>Gas LC50</u> | <u>Dust/Mist LC50</u> |
|----------------|------------------------|-------------------------|-------------------------|------------------------------|-----------------|-----------------------|
| 13463-67-7     | TITANIUM DIOXIDE       | 25000 mg/kg, oral (rat) | No Information          | No Information               | No Information  | No Information        |
| 108-78-1       | MELAMINE               | 3161 mg/kg, oral, rat   | Not Available           | 3248 mg/m3<br>8 Hr, Inh, Rat | 0.000           | 0.000                 |
| 85-68-7        | BUTYL BENZYL PHTHALATE | 2330 mg/kg, oral, rat   | 6700 mg/kg, dermal, rat | 6700 mg/m3, 4h Inh, rat      | 0.000           | 0.000                 |

**Additional Information:**

No Information

## 12. Ecological Information

### 12.1 Toxicity:

EC50 48hr (Daphnia): No information available.

IC50 72hr (Algae): No information available.

LC50 96hr (fish): No information available.

|                                          |                                                                                    |
|------------------------------------------|------------------------------------------------------------------------------------|
| 12.2 Persistence and degradability:      | No information available.                                                          |
| 12.3 Bioaccumulative potential:          | No information available.                                                          |
| 12.4 Mobility in soil:                   | No information available.                                                          |
| 12.5 Results of PBT and vPvB assessment: | The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. |
| 12.6 Other adverse effects:              | No information available.                                                          |

| <u>CAS-No.</u> | <u>Chemical Name</u>   | <u>EC50 48hr</u> | <u>IC50 72hr</u> | <u>LC50 96hr</u> |
|----------------|------------------------|------------------|------------------|------------------|
| 13463-67-7     | TITANIUM DIOXIDE       | No information   | No information   | No information   |
| 108-78-1       | MELAMINE               | No information   | No information   | No information   |
| 85-68-7        | BUTYL BENZYL PHTHALATE | No information   | No information   | No information   |

### 13. Disposal Considerations

- 13.1 **WASTE TREATMENT METHODS:** Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport Information

|                                                                               |                           |
|-------------------------------------------------------------------------------|---------------------------|
| 14.1 UN number                                                                | None                      |
| 14.2 UN proper shipping name                                                  | Not Regulated             |
| Technical name                                                                | N/A                       |
| 14.3 Transport hazard class(es)                                               | None                      |
| Subsidiary shipping hazard                                                    | N/A                       |
| 14.4 Packing group                                                            | N/A                       |
| 14.5 Environmental hazards                                                    | No information available. |
| 14.6 Special precautions for user                                             | No information available. |
| EmS-No.:                                                                      | Unknown                   |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code | No information available. |

### 15. Regulatory Information

- 15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

**National Regulations:**

|                                             |                           |
|---------------------------------------------|---------------------------|
| <b>Denmark Product Registration Number:</b> | No information available. |
| <b>Danish MAL Code:</b>                     | No information available. |
| <b>Danish MAL Code - Mixture:</b>           | Not available             |
| <b>Sweden Product Registration Number:</b>  | No information available. |
| <b>Norway Product Registration Number:</b>  | No information available. |
| <b>WGK Class:</b>                           | Not available             |

**CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

**CERCLA - Sara Hazard Category**

Carcinogenicity, Reproductive toxicity

**Sara Section 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

**Toxic Substances Control Act:**

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

| <u>Chemical Name</u>    | <u>CAS-No.</u> |
|-------------------------|----------------|
| ALKANES, C20-28, CHLORO | 2097144-43-7   |

**International Regulations: As follows -****\* Canadian DSL:**

All chemical ingredients included on inventory (DSL)

**15.2 Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## 16. Other Information

### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

|      |                                                                    |
|------|--------------------------------------------------------------------|
| H351 | Suspected of causing cancer.                                       |
| H360 | May damage fertility or the unborn child.                          |
| H361 | Suspected of damaging fertility or the unborn child.               |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                        |
| H410 | Very toxic to aquatic life with long lasting effects.              |

### Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

