


Armorlast[®] two-coat inorganic corrosion protection system

Superior protection in a longer-life, lower-maintenance package



Pioneers of inorganic protective coatings

Carboline changed the rules with its introduction in the 1960s of Carbozinc 11, the first inorganic zinc-rich primer capable of self-curing. Since then, it's earned an impressive reputation of long-life protection of structural steel in harsh exterior service.

Today, **Carbozinc 11 series primers + Armorlast series** mark another step-change in steel asset protection.



Nimble system packs superior performance

Traditional structural steel coating systems consist of a zinc-rich primer, an epoxy intermediate, and a urethane finish coat.

But the two-coat Armorlast system provides improved performance because both coats are based on inorganic resins that do not degrade when exposed to UV radiation. The result is a longer service life for the coating that can match an asset's design life and reduce maintenance painting requirements.

In addition, a two-coat corrosion protection system accelerates shop throughput and compresses production schedule, potentially leading to time and money saved.



Key benefits

- > Two-coat system accelerates application throughput vs. traditional three-coat
- > Isocyanate-free
- > Zinc-based primer formula offers excellent corrosion protection
- > Meets Class B slip coefficient
- > Favorable cost and performance compared to common alternatives
- > Inorganic composition provides excellent weatherability and UV stability

Scan to read more.



Armorlast in action at NASA


Carboline's Armorlast system is integral to the performance of new launch support infrastructure at NASA's Kennedy Space Center in Florida.

Starting with Artemis IV in 2028, crewed moon missions will lift off from the new ML-2 launcher, designed to support taller, more powerful Block 1B and Block 2 rockets. NASA chose the Carbozinc 11 + Armorlast system to withstand Florida's corrosive humid coastal environment.

The Agency knows the technology well: Carbozinc 11 was applied to structural steel inside its Vehicle Assembly Building in 1966 and still performs today.




Armorlast 2-Coat System




- ① Inorganic zinc primer
- ② Inorganic finish coat

Traditional 3-Coat System




- ① Zinc primer
- ② Epoxy midcoat
- ③ Urethane topcoat

Thermal Spray Metalizing



- ① Zn, ZnAl, or Al TSM


Hot-Dipped Galvanizing



- ① Zn HDG

Armorlast two-coat inorganic corrosion protection exceeds traditional three-coat performance. It offers comparable performance to HDG and TSM at a more favorable cost and maintenance regime.


Hold your corrosion protection system to a higher standard



Traditional three-coat "passing" system after 4200 hours ISO 12944-9 CX testing.



Galvanized panels after 4200 hours ISO 12944-9 CX testing.



Thermal spray metalized panels after 4200 hours ISO 12944-9 CX testing.



Armorlast panels after 12,600 hours ISO 12944-9 CX testing.



A sustainable solution for modern corrosion protection

The two-coat Armorlast system helps meet sustainability objectives by reducing pollutants related to material manufacturing and transportation, and reducing waste and cleanup associated with more frequent maintenance and touch-ups of organic-based coatings.

GLOBAL COATINGS LEADERS™

RIGHT PEOPLE • RIGHT PRODUCTS • RIGHT LOCATIONS

Exceptional products. Superior technical guidance.

Advancing a more durable, resilient, and sustainable built environment since 1947.

1947

Since 1947, we have been dedicated to delivering innovative coatings, linings, and fireproofing products. We are driven to provide the best solutions, service, and quality to our customers.



Our customers can be confident that behind every sale is a team of some of the most well-respected members of the industry, dedicated and determined to make your project a success.



Our global network of industrial service centers and distribution points are strategically located around the world to provide the highest level of service and support for your project.



CARBOLINE
GLOBAL HEADQUARTERS
2150 SCHUETZ ROAD
ST. LOUIS, MO 63146 USA
PH: 1-314-644-1000
WWW.CARBOLINE.COM

