

## Firefilm III C Carboline Company

**Final Assembly:** Lake Charles, Louisiana, USA

**Life Expectancy:** Life of Structure Year(s)

**End of Life Options:** Landfill (100%)

### Ingredients:

**Unnamed Material:** Ammonium polyphosphate; Water; Titanium dioxide; 1,3-Propanediol, 2,2-bis(hydroxymethyl)-; Chlorinated paraffins (CPs); Melamine; Vinyl Acrylic Resin; Guanidine, cyano-; Aluminum hydroxide; Aluminum Oxide; Boric acid (HBO<sub>2</sub>), barium salt; **Butyl benzyl phthalate (BBP)d**; Palygorskite fibers (> 5mm in length); Propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol; Cellulose, 2-hydroxyethyl ether; Methanol; Quartz

### Living Building Challenge Criteria:

#### I-13 Red List:

- |  |                             |
|--|-----------------------------|
| <input type="checkbox"/> LBC Red List Free     | % Disclosed: 100% at 100ppm |
| <input type="checkbox"/> LBC Red List Approved | VOC Content: 20 g/L         |
| <input checked="" type="checkbox"/> Declared   |                             |

**I-10 Interior Performance:** CDPH Standard Method v1.1-2010

**I-14 Responsible Sourcing:** Not Applicable

CRB-0016

EXP. 01 NOV 2022

Original Issue Date: 2019