

# Safety Data Sheet according to Regulation (EC) 'No. 2020/878

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier J0030931A Revision Date: 23/06/2025

Product Name: THERMALINE 550 EN PART A Supersedes Date: 27/03/2025

Version Number: 4

**UFI Code:** MEU0-708S-7005-TQVW

Contain nanoform: Yes

1.2 Relevant identified uses of the

substance or mixture and uses

advised against

Base component of 2 components coating - Industrial use. Please see Technical Data

Sheet. Advised against: others than recommended

Product to be mixed with: THERMALINE 550 EN - PART B

Mixing ratio by volume Part A/

Part B:

2/1

1.3 Details of the supplier of the safety data sheet

Supplier: Carboline Italia, S.p.a.

Via Margherita Viganò De Vizzi, 77 20092 Cinisello Balsamo (MI)

Italy

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium

+39 0294759236 Cinisello Balsamo, Italy

regulatoryeurope@carboline.com

1.4 Emergency telephone number: CHEMTREC +1 703 5273887(Outside US)

112(24 / 7)

Croatia +3851 2348 342(24 / 7 In Croatian And English)

Iceland 112(24 / 7) Malta 112(24 / 7)

# **SECTION 2: Hazards Identification**

# 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

#### **HAZARD STATEMENTS**

Flammable Liquid, category 3	H226
Skin Irritation, category 2	H315
Skin Sensitizer, category 1	H317
Eye Irritation, category 2	H319
STOT, single exposure, category 3, NE	H336
Hazardous to the aquatic environment, Chronic, category 3	H412

## 2.2 Label elements

# Symbol(s) of Product





#### Signal Word

Warning

#### Named Chemicals on Label

1-methoxypropan-2-ol, n-butyl acetate, bis[4-(2,3-epoxypropoxy)phenyl]propane, poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped

## **HAZARD STATEMENTS**

Other EU extensions	EUH205	Contains epoxy constituents. May produce an allergic reaction.
Flammable Liquid, category 3	H226	Flammable liquid and vapour.
Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2	H319	Causes serious eye irritation.
STOT, single exposure, category 3, NE	H336	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, Chronic, category 3	H412	Harmful to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.

## 2.3 Other hazards

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

## **Endocrine disrupting properties - Toxicity**

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

# Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

# **SECTION 3: Composition/Information On Ingredients**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

# Hazardous ingredients

Name According to EEC	<u>%</u>	<u>Classifications</u>	SCL Value:	
EINEC No. CAS-No.			P	ATE Value:
REACH Reg No.			N	Л-Factor:
poly(bisphenol a-co- epichlorohydrin), glycidyl end- capped	25 - <50	H315-317-319	SCL Value:	-
607-500-3				
25036-25-3		Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value:	-
-				
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
1-methoxypropan-2-ol	10 - <25	H226-336	SCL Value:	-
203-539-1				
107-98-2 01-2119457435-35				
603-064-00-3		Flam. Liq. 3, STOT SE 3 NE	ATE Value:	-
000 004 00 0			M-Factor: (acute)	-
			M-Factor: (chronic)	-

T. Control of the Con	and the second s		1	I .
talc	10 - <25		SCL Value:	-
238-877-9				
14807-96-6				
-			ATE Value:	-
-				
			M-Factor:	_
			(acute)	
			M-Factor:	-
			(chronic)	
			1	
n-butyl acetate	2.5 - <10	H226-336	SCL Value:	-
204-658-1				
123-86-4				
01-2119485493-29		Flam. Liq. 3, Skin Cracking, STOT SE 3 NE	A.T.E. \( ( )	
		Fidili. Liq. 3, Skill Clackling, STOT SE 3 NE	ATE Value:	-
607-025-00-1				
			M-Factor:	-
			(acute)	
			M-Factor:	-
			(chronic)	
		1		
	1		I	1
bis[4-(2,3-epoxypropoxy)	2.5 - <10	H315-317-319-411	SCL Value:	H319 ≥ 5%~ H315 ≥
phenyl]propane	2.5 - <10	H315-317-319-411	SCL Value:	H319 ≥ 5% <sup>~</sup> H315 ≥ 5 %
phenyl]propane 216-823-5	2.5 - <10	H315-317-319-411	SCL Value:	H319 ≥ 5% <sup>~</sup> H315 ≥ 5 %
phenyl]propane	2.5 - <10			5 %
phenyl]propane 216-823-5	2.5 - <10	H315-317-319-411  Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	SCL Value:	H319 ≥ 5% <sup>~</sup> H315 ≥ 5 %
phenyl]propane 216-823-5 1675-54-3	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,		5 %
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value: M-Factor:	5 %
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value: M-Factor:	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor:	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value: M-Factor: (acute)	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor:	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)	-
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)	5 %  -  -  -
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)  SCL Value:  ATE Value:	5 %  -  -  -
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)  SCL Value:  ATE Value:	5 %  -  -  -
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)  SCL Value:  ATE Value:	5 %  -  -  -
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)  SCL Value:  ATE Value:  M-Factor: (acute)	5 %  -  -  -  -
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2  titanium dioxide 236-675-5 13463-67-7		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value:  M-Factor: (acute)  M-Factor: (chronic)  SCL Value:  ATE Value:	5 %  -  -  -

carbon black 215-609-9	1.0 - <2.5		SCL Value:	-
1333-86-4				
01-2119384822-32			ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
1,3-bis[12-hydroxy- octadecamide-N-methylene]- benzene	0.1 - <1.0	H317-413	SCL Value:	-
423-300-7				
128554-52-9		Aquatic Chronic 4, Skin Sens. 1	ATE Value:	-
01-0000016979-49				
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

Remarks: CAS 13463-67-7: Note 10

## **NANOFORMS**

carbon black 1333-86-4 215-609-9

#### Distribution

D10: 6-30 nm D50: 10-53 nm D90: 23-144 nm

Shape: Spheroidal

Crystalinity: No

Treatment of the surface:

iron hydroxide oxide yellow 51274-00-1 257-098-5

## Distribution

D10 = 40 nm ± 10 nm D50 = 75 nm ± 25 nm D90 = 160 nm ± 40 nm

Shape: Rods Crystalinity: No

Treatment of the surface:

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

# **SECTION 4: First-aid Measures**

#### 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Leave fasting. Never give anything by mouth to an unconscious person.

## Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes. Irritating to skin. May cause sensitization by skin contact. Vapours may cause drowsiness and dizziness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# **SECTION 5: Firefighting Measures**

## 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

## 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition.

#### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

# 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

## 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

# **SECTION 7: Handling and Storage**

### 7.1 Precautions for safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only explosion-proof equipment. Keep away from sources of ignition - No smoking. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Direct sources of heat.

**STORAGE CONDITIONS:** Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (EU)

<u>Name</u>	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped	25036-25-3					
1-methoxypropan-2-ol	107-98-2		100	150	568	375
talc	14807-96-6					
n-butyl acetate	123-86-4		50	150	723	241
bis[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3					
titanium dioxide	13463-67-7					
carbon black	1333-86-4					
1,3-bis[12-hydroxy-octadecamide-N-methylene]-benzene	128554-52-9					
<u>Name</u>	CAS-No.	OEL Note				
poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped	25036-25-3					
1-methoxypropan-2-ol	107-98-2	Sk				
talc	14807-96-6					
n-butyl acetate	123-86-4					
bis[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3					
titanium dioxide	13463-67-7					
carbon black	1333-86-4					
1,3-bis[12-hydroxy-octadecamide-N-methylene]-benzene	128554-52-9					

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

## **Chemical Name:**

1-methoxypropan-2-ol

**EC No.: CAS-No.:** 203-539-1 107-98-2

## **DNELs - Derived no effect level**

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					3.3 mg/kg		
Inhalation	553.5 mg/m3	553.5 mg/m <sup>3</sup>		369 mg/m3				43.9 mg/m3
Dermal				183 mg/kg bw/				18.1 mg/kg
				day				

# PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	10 mg/l
Fresh water sediments	100 mg/l
Marine water	1 mg/l
Marine sediments	5.2 mg/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	5.49 mg/kg
Air	

# **Chemical Name:**

n-butyl acetate

**EC No.:** CAS-No.: 204-658-1 123-86-4

## **DNELs - Derived no effect level**

	Workers					Cons	sumers	
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required			2 mg/kg bw/		2 mg/kg bw/day
						day -		-neurotoxicity-
						neurotoxicity-		
Inhalation	300 mg/m <sup>3</sup>	600 mg/m <sup>3</sup>	300 mg/m <sup>3</sup>	48 mg/m³	300 mg/m <sup>3</sup>	300 mg/m <sup>3</sup>	35.7 mg/m <sup>3</sup>	12 mg/m³
	(irritation	_			(irritation	(irritation	(irritation	-
	(respiratory				(respiratory	(respiratory	(respiratory	
	tract))				tract))	tract))	tract))	
Dermal		11 mg/kg bw/		7 mg/kg bw/day	No hazard	6 mg/kg bw/		3.4 mg/kg bw/
		day -			identified	day -		day
		neurotoxicity-				neurotoxicity		

# PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.18 mg/l
Fresh water sediments	0.981 mg/kg
Marine water	0.018 mg/l
Marine sediments	0.0981 mg/kg
Food chain	
Microorganisms in sewage treatment	35.6 mg/L
soil (agricultural)	0.0903 mg/kg
Air	

#### **Chemical Name:**

bis[4-(2,3-epoxypropoxy)phenyl]propane

**EC No.: CAS-No.:** 216-823-5 1675-54-3

#### DNELs - Derived no effect level

	Workers					Con	sumers	
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				0.75 mg/kg bw/day		0.75 mg/kg bw/ day	
Inhalation		12.25 mg/m3		12.25 mg/m3				
Dermal		8.33 mg/kg bw/day		8.33 mg/kg bw/ day		3.571 mg/kg bw/day		3.571 mg/kg bw/ day

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.006 mg/l
Fresh water sediments	0.996 mg/L
Marine water	0.0006 mg/l
Marine sediments	0.0996 mg/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	0.196 mg/kg
Air	

#### **Chemical Name:**

titanium dioxide

**EC No.:** CAS-No.: 236-675-5 13463-67-7

## **DNELs - Derived no effect level**

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required				· •		700 mg/kg/ bw/	
								day
Inhalation			5 mg/m <sup>3</sup>				5 mg/m³	
Dermal			-					

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127 mg/L
Fresh water sediments	1000 mg/kg dw
Marine water	1 mg/L
Marine sediments	100 mg/kg dw
Food chain	1667 mg/kg (oral)
Microorganisms in sewage treatment	100 mg/kg
soil (agricultural)	100 mg/kg dw
Air	

# 8.2 Exposure controls

# **Personal Protection**

**RESPIRATORY PROTECTION:** Respirator with a vapor filter. Wear respiratory protection with combination filter (dust and gas filter, EN 14387:2004+A1:2008) during spraying operations: Gas filter type A2 (organic substances). Dust filter P3 (for fine dust).

EYE PROTECTION: Tightly fitting safety goggles.

**HAND PROTECTION:** Rubber or plastic gloves. Nitrile rubber. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Protective gloves complying with EN 374. Rubber or plastic apron.

Body Protection: Long sleeved clothing.

Remove and wash contaminated clothing before re-use.

#### **OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# **SECTION 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

> **Physical State** Liquid

Odor solvent

Odor threshold Not determined

рΗ Not determined

Melting point / freezing point (°C) Not determined

Boiling point or initial boiling point and

boiling range (°C)

Colour:

120 - 126

grey

Flash Point, (°C) 27

**Evaporation rate** Not determined

Flammability (solid, gas) Not determined

Llower and upper explosive limit Not determined

Vapour Pressure Not determined

Relative vapour density Not determined

Density and/or relative density 1.25

Solubility in / Miscibility with water Not determined Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) 415

Decomposition temperature (°C) Not determined Kinematic viscosity Not determined

Particle characteristics Not applicable to liquids

#### Nanoform in mixure

carbon black Insoluble Solubility: 1333-86-4

Not determined 215-609-9 NoctanoWater:

> Partichle See sec. 3.2

Charactheristics:

iron hydroxide oxide yellow

51274-00-1 257-098-5

Insoluble Solubility:

Not determined NoctanoWater:

Partichle

See sec. 3.2 Charactheristics:

#### 9.2 Other information

Specific Gravity (g/cm3) 1.25

# **SECTION 10: Stability and Reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions. Risk of ignition.

#### 10.3 Possibility of hazardous reactions

No Information

#### 10.4 Conditions to avoid

Direct sources of heat.

#### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

**Acute Toxicity:** 

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No Information

Irritation: Skin and eye irritant

Corrosivity: No information available.

Sensitization: May cause an allergic skin reaction.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

**STOT-single exposure:** Vapour/spray mist may irritate respiratory system and lungs.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
	poly(bisphenol a-co- epichlorohydrin), glycidyl end- capped	>2000 mg/kg (oral-rat)	>2000 mg/kg (dermal-rat)	No information	No information	No information

107-98-2	1-methoxypropan-2-ol	4016 mg/kg (oral- rat)	>2000 mg/kg (dermal-rat)	21 mg/l	> 20000 ppm	No information
123-86-4	n-butyl acetate	10760 mg/kg (ratoral)	14112 mg/Kg (rabbit-dermal)	23 mg/l/4/h (rat)	> 20000 ppm	No information
1675-54-3	bis[4-(2,3-epoxypropoxy) phenyl]propane	5000 mg/kg (oral-rat)	>2000 mg/kg (dermal, rat M-F)	>20	No information	No information
13463-67-7	titanium dioxide	>5000 mg/kg (oral-rat)	10000 mg/kg	No information	No information	>6.82 mg/L (inh-rat-4h)
1333-86-4	carbon black	>15400 mg/kg oral, rat	No information	No information	No information	No information

#### **Additional Information:**

No Information

# 11.2 Information on other hazards

# **Endocrine disrupting properties - Toxicity**

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

# **SECTION 12: Ecological Information**

# 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

No information

No information

**12.3 Bioaccumulative potential:** No information

**12.4 Mobility in soil:** No information

12.5 Results of PBT and vPvB

assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# 12.6 Endocrine disrupting properties

## **Endocrine disrupting properties - Ecotoxicity**

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

# 12.7 Other adverse effects: No information

CAS-No.	Name According to EEC	EC50 48hr	IC50 72hr	LC50 96hr
107-98-2	1-methoxypropan-2-ol	>21000 mg/L (Daphnia)	No information	6812 mg/L (Leuciscus idus)
123-86-4	n-butyl acetate	44 mg/L (Daphnia)	648 mg/L (Desmodesmus subspicatus)	18 mg/L (Pimephales promelas)

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane 1.8 mg/l (Daphnia magna, EC50, 48h, static)

No information

11 mg/l (Scenedesmus capricornutum, EC50r,

1.5 mg/L (Rainbow trout),

3.6 mg/L (fish)

13463-67-7 titanium dioxide >1000 mg/L (LC50, statisk, Daphnia magna,

>100 mg/L (EC50, statisk.

10,000 mg/l

>1000 mg/L (LC50, statisk, Pimephales promelas, EPA-540/9-85-006)

1333-86-4 carbon black

Pseudokirchnerella OECD202) subcapitata, OECD201)

72h)

> 1,000 mg/l (Brachidanio

rerio)

# **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**European Waste Code:** No Information **Packaging Waste Code:** No Information

# **SECTION 14: Transport Information**

	ADR/RID	ADN	IMDG	IATA
UN-number or ID number	UN1263	UN1263	UN1263	UN1263
UN proper shipping name	PAINT	PAINT	PAINT	PAINT
Transport Hazard Class(es)	3	3	3	3
Packing Group	III	III	III	III
Enviromental Hazards	NO	NO	Marine Pollutant: NO	NO
	UN proper shipping name  Transport Hazard Class(es)  Packing Group  Enviromental	UN-number or ID number  UN1263  UN proper shipping name  PAINT  Transport Hazard Class(es)  Packing Group  Enviromental	UN-number or ID number  UN1263  UN1263  UN1263  UN1263  PAINT  PAINT  PAINT  Transport Hazard Class(es)  Packing Group  III  Enviromental  UN1263  UN1263  III  NO  NO	UN-number or ID number  UN1263  UN1263  UN1263  UN1263  UN1263  UN proper shipping name  PAINT  PAINT  PAINT  PAINT  Transport Hazard Class(es)  3  3  3  3  3

14.6 Special precautions for user Not applicable

EmS-No.: F-E, <u>S-E</u>

Maritime transport in bulk according to IMO 14.7

intruments

Not applicable

# **SECTION 15: Regulatory Information**

### 15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

**National Regulations:** 

Denmark Product Registration Number: Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

Germany WGK Class: Not available

**Directive 2004/42/CE:** VOC ready to use 489 g/l with 5% of thinner(subcat

j:500 g/l

Covered by Directive 2012/18/EC (Seveso III):

Restrictions to product or to substances according

to Annex XVII, Regulation (CE) 1907/2006:

Entry 3, 40

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

# 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# SECTION 16: Other Information

## Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

#### Reasons for revision

Revision Description Changed Composition Information Changed

Substance and/or Product Properties Changed in Section(s):

01 - Identification

08 - Exposure Controls/Personal Protection
09 - Physical and Chemical Properties

11 - Toxicological Information14 - Transportation Information15 - Regulatory InformationRevision Statement(s) Changed

#### List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments. Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million
mg/m3 Milligrams per cubic meter
TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits VOC Volatile organic compounds

g/l Grams per liter
mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code

IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu m$ .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.