

Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier J0030800A Revision Date: 24/06/2025

Product Name: THERMALINE 550 EN BLANC - A Supersedes Date: 23/06/2025

Version Number: 4

UFI Code: MEU0-708S-7005-TQVW

Contain nanoform: Yes

1.2 Relevant identified uses of the

substance or mixture and uses

advised against

Base component of 2 components coating - Industrial use. Please see Technical Data

Sheet. Advised against: others than recommended

Product to be mixed with: THERMALINE 550 EN - PART B

Mixing ratio by volume Part A/

Part B:

2/1

1.3 Details of the supplier of the safety data sheet

Supplier: Carboline Italia, S.p.a.

Via Margherita Viganò De Vizzi, 77 20092 Cinisello Balsamo (MI)

Italy

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium

+39 0294759236 Cinisello Balsamo, Italy

regulatoryeurope@carboline.com

1.4 Emergency telephone number: CHEMTREC +1 703 5273887(Outside US)

112(24 / 7)

Croatia +3851 2348 342(24 / 7 In Croatian And English)

Iceland 112(24 / 7) Malta 112(24 / 7)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Flammable Liquid, category 3	H226
Skin Irritation, category 2	H315
Skin Sensitizer, category 1	H317
Eye Irritation, category 2	H319
STOT, single exposure, category 3, NE	H336
Hazardous to the aquatic environment, Chronic, category 3	H412

2.2 Label elements

Symbol(s) of Product





Signal Word

Warning

Named Chemicals on Label

1-methoxypropan-2-ol, n-butyl acetate, bis[4-(2,3-epoxypropoxy)phenyl]propane, poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped

HAZARD STATEMENTS

Other EU extensions	EUH205	Contains epoxy constituents. May produce an allergic reaction.
Flammable Liquid, category 3	H226	Flammable liquid and vapour.
Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2	H319	Causes serious eye irritation.
STOT, single exposure, category 3, NE	H336	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, Chronic, category 3	H412	Harmful to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P273	Avoid release to the environment.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>	,	ATE Value: M-Factor:
poly(bisphenol a-co- epichlorohydrin), glycidyl end- capped 607-500-3	25 - <50	H315-317-319	SCL Value:	-
25036-25-3		Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
1-methoxypropan-2-ol 203-539-1 107-98-2	10 - <25	H226-336	SCL Value:	-
01-2119457435-35 603-064-00-3		Flam. Liq. 3, STOT SE 3 NE	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

titanium dioxide 236-675-5	10 - <25		SCL Value:	-	
13463-67-7					
01-2119489379-17			ATE Value:	-	
			M-Factor: (acute)	-	
			M-Factor: (chronic)	-	
n-butyl acetate 204-658-1	2.5 - <10	H226-336	SCL Value:	-	
123-86-4					
01-2119485493-29 607-025-00-1		Flam. Liq. 3, Skin Cracking, STOT SE 3 NE	ATE Value:	-	
			M-Factor: (acute)	-	
			M-Factor: (chronic)	-	
					-
bis[4-(2,3-epoxypropoxy) phenyl]propane 216-823-5	2.5 - <10	H315-317-319-411	SCL Value:	H319 ≥ 5% [~] H315 ≥ 5 %	
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	H315-317-319-411 Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	SCL Value:		
phenyl]propane 216-823-5 1675-54-3	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,		5 %	
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value: M-Factor:	-	_
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26	2.5 - <10	Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2,	ATE Value: M-Factor: (acute) M-Factor:		_
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2 2-butoxyethyl acetate		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value: M-Factor: (acute) M-Factor: (chronic)	5 %	_
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2 2-butoxyethyl acetate 203-933-3		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value: M-Factor: (acute) M-Factor: (chronic)	5 %	_
phenyl]propane 216-823-5 1675-54-3 01-2119456619-26 603-073-00-2 2-butoxyethyl acetate 203-933-3 112-07-2		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value: M-Factor: (acute) M-Factor: (chronic)	5 %	-

talc	1.0 - <2.5		SCL Value:	-
238-877-9 14807-96-6				
-			ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
1,3-bis[12-hydroxy- octadecamide-N-methylene]- benzene	0.1 - <1.0	H317-413	SCL Value:	-
423-300-7				
128554-52-9		Aquatic Chronic 4, Skin Sens. 1	ATE Value:	-
01-0000016979-49				
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

Remarks: CAS 13463-67-7: Note 10

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Leave fasting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes. Irritating to skin. May cause sensitization by skin contact. Vapours may cause drowsiness and dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition.

6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only explosion-proof equipment. Keep away from sources of ignition - No smoking. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (EU)

<u>Name</u>	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped	25036-25-3					
1-methoxypropan-2-ol	107-98-2		100	150	568	375
titanium dioxide	13463-67-7					
n-butyl acetate	123-86-4		50	150	723	241
bis[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3					
2-butoxyethyl acetate	112-07-2		20	50	333	133
talc	14807-96-6					
1,3-bis[12-hydroxy-octadecamide-N-methylene]-benzene	128554-52-9					
<u>Name</u>	CAS-No.	OEL Note				
poly(bisphenol a-co-epichlorohydrin), glycidyl end-capped	25036-25-3					
1-methoxypropan-2-ol	107-98-2	Sk				
titanium dioxide	13463-67-7					
n-butyl acetate	123-86-4					
bis[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3					
2-butoxyethyl acetate	112-07-2	SKIN				
talc	14807-96-6					
1,3-bis[12-hydroxy-octadecamide-N-methylene]-benzene	128554-52-9					

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

1-methoxypropan-2-ol

EC No.: CAS-No.: 203-539-1 107-98-2

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					3.3 mg/kg		
Inhalation	553.5 mg/m3 553.5 mg/m ³ 369 mg/m3		369 mg/m3				43.9 mg/m3	
Dermal	183 mg/kg bw/						18.1 mg/kg	
				day				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	10 mg/l
Fresh water sediments	100 mg/l
Marine water	1 mg/l
Marine sediments	5.2 mg/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	5.49 mg/kg
Air	

Chemical Name:

titanium dioxide

EC No.: CAS-No.: 236-675-5 13463-67-7

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required						700 mg/kg/ bw/ day
Inhalation			5 mg/m³				5 mg/m³	uay
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127 mg/L
Fresh water sediments	1000 mg/kg dw
Marine water	1 mg/L
Marine sediments	100 mg/kg dw
Food chain	1667 mg/kg (oral)
Microorganisms in sewage treatment	100 mg/kg
soil (agricultural)	100 mg/kg dw
Air	

Chemical Name:

n-butyl acetate

EC No.: CAS-No.: 204-658-1 123-86-4

DNELs - Derived no effect level

		Wo	orkers		Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	10001		required	- Joyanana	1000:	2 mg/kg bw/ day - neurotoxicity-	0.100301000	2 mg/kg bw/day -neurotoxicity-
Inhalation	300 mg/m³ (irritation (respiratory tract))	600 mg/m ³	300 mg/m ³	48 mg/m³	300 mg/m³ (irritation (respiratory tract))	300 mg/m³ (irritation (respiratory tract))	35.7 mg/m³ (irritation (respiratory tract))	12 mg/m³
Dermal		11 mg/kg bw/ day - neurotoxicity-		7 mg/kg bw/day	No hazard identified	6 mg/kg bw/ day - neurotoxicity		3.4 mg/kg bw/ day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.18 mg/l
Fresh water sediments	0.981 mg/kg
Marine water	0.018 mg/l
Marine sediments	0.0981 mg/kg
Food chain	
Microorganisms in sewage treatment	35.6 mg/L
soil (agricultural)	0.0903 mg/kg
Air	

Chemical Name:

bis[4-(2,3-epoxypropoxy)phenyl]propane

EC No.: CAS-No.: 216-823-5 1675-54-3

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required				0.75 mg/kg		0.75 mg/kg bw/
						bw/day		day
Inhalation		12.25 mg/m3		12.25 mg/m3				
Dermal		8.33 mg/kg		8.33 mg/kg bw/		3.571 mg/kg		3.571 mg/kg bw/
	_	bw/day		day		bw/day		day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.006 mg/l
Fresh water sediments	0.996 mg/L
Marine water	0.0006 mg/l
Marine sediments	0.0996 mg/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	0.196 mg/kg
Air	

Chemical Name:

2-butoxyethyl acetate

EC No.: CAS-No.: 203-933-3 112-07-2

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required				36 mg/kg bw/		8.6 mg/kg bw/
	,				_	day		day
Inhalation	333 mg/m ³							
Dermal		120 mg/kg bw/		169 mg/kg bw/		72 mg/kg bw/		102 mg/kg bw/
		day		day		day		day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	304 μg/L
Fresh water sediments	2.03 mg/kg sediment dw
Marine water	30.4 μg/L
Marine sediments	203 μg/kg sediment dw
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	415 μg/kg soil dw
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Respirator with a vapor filter. Wear respiratory protection with combination filter (dust and gas filter, EN 14387:2004+A1:2008) during spraying operations: Gas filter type A2 (organic substances). Dust filter P3 (for fine dust).

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Rubber or plastic gloves. Nitrile rubber. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Protective gloves complying with EN 374. Rubber or plastic apron.

Body Protection: Long sleeved clothing.

Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Colour: White

Physical State Liquid
Odor Solvent

Odor threshold

PH

Not determined

Melting point / freezing point (°C)

Not determined

Boiling point or initial boiling point and

boiling range (°C)

120 - 126

Flash Point, (°C) 27

Evaporation rate Not determined

Flammability (solid, gas) Not determined

Llower and upper explosive limit Not determined

Vapour Pressure Not determined
Relative vapour density Not determined

Density and/or relative density 1.25

Solubility in / Miscibility with water Not determined

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) 415

Decomposition temperature (°C) Not determined

Kinematic viscosity Not determined

Particle characteristics Not applicable to liquids

9.2 Other information

Specific Gravity (g/cm3) 1.25

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under recommended storage conditions. Risk of ignition.

10.3 Possibility of hazardous reactions

No Information

10.4 Conditions to avoid

Direct sources of heat.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No information available.

Irritation: Skin and eye irritant

Corrosivity: No information available.

Sensitization: May cause an allergic skin reaction.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: Vapour/spray mist may irritate respiratory system and lungs.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
25036-25-3	poly(bisphenol a-co- epichlorohydrin), glycidyl end- capped	>2000 mg/kg (oral-rat)	>2000 mg/kg (dermal-rat)	No information	No information	No information
107-98-2	1-methoxypropan-2-ol	4016 mg/kg (oral-rat)	>2000 mg/kg (dermal-rat)	21 mg/l	> 20000 ppm	No information
13463-67-7	titanium dioxide	>5000 mg/kg (oral-rat)	10000 mg/kg	No information	No information	>6.82 mg/L (inh-rat-4h)
123-86-4	n-butyl acetate	10760 mg/kg (ratoral)	14112 mg/Kg (rabbit-dermal)	23 mg/l/4/h (rat)	> 20000 ppm	No information
1675-54-3	bis[4-(2,3-epoxypropoxy) phenyl]propane	5000 mg/kg (oral-rat)	>2000 mg/kg (dermal, rat M-F)	>20	No information	No information
112-07-2	2-butoxyethyl acetate	2400 mg/kg (female rat) OECD Guideline 401 (Acute Oral Toxicity)	1580 mg/kg (rabbit) method of Miller and Tainter	450 ppm / 6hr, rat	No information	No information

Additional Information:

No Information

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. assessment:

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

12.7 Other adverse effects:

No information

CAS-No.	Name According to EEC	EC50 48hr	IC50 72hr	LC50 96hr
107-98-2	1-methoxypropan-2-ol	>21000 mg/L (Daphnia)	No information	6812 mg/L (Leuciscus idus)
13463-67-7	titanium dioxide	>1000 mg/L (LC50, statisk, Daphnia magna, OECD202)	>100 mg/L (EC50, statisk, Pseudokirchnerella subcapitata, OECD201)	>1000 mg/L (LC50, statisk, Pimephales promelas, EPA-540/9-85-006)
123-86-4	n-butyl acetate	44 mg/L (Daphnia)	648 mg/L (Desmodesmus subspicatus)	18 mg/L (Pimephales promelas)
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	1.8 mg/l (Daphnia magna, EC50, 48h,static)	11 mg/l (Scenedesmus capricornutum,EC50r, 72h)	1.5 mg/L (Rainbow trout), 3.6 mg/L (fish)
112-07-2	2-butoxyethyl acetate	No information	> 100 mg/L	10 - 100 mg/L

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code: No Information Packaging Waste Code: No Information

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	UN1263	UN1263	UN1263	UN1263
14.2	UN proper shipping name	PAINT	PAINT	PAINT	PAINT
14.3	Transport Hazard Class(es)	3	3	3	3
14.4	Packing Group	III	III	III	III
14.5	Enviromental Hazards	NO	NO	Marine pollutant : NO	NO

14.6 Special precautions for user Not applicable EmS-No.: F-E, <u>S-E</u>

14.7 Maritime transport in bulk according to IMO

Not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number: Not available Danish MAL Code: Not available Danish MAL Code - Mixture: Not available Sweden Product Registration Number: Not available **Norway Product Registration Number:** Not available **Germany WGK Class:** Not available

Directive 2004/42/CE: VOC ready to use 489 g/l with 5% of thinner(subcat

j:500 g/l

Covered by Directive 2012/18/EC (Seveso III): P5c

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Entry 3, 40

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Reasons for revision

Substance and/or Product Properties Changed in Section(s):

01 - Identification

09 - Physical and Chemical Properties

14 - Transportation Information Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.

- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million
mg/m3 Milligrams per cubic meter
TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

 $\begin{array}{ll} \mbox{g/l} & \mbox{Grams per liter} \\ \mbox{mg/kg} & \mbox{Milligrams per kilogram} \end{array}$

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter \leq 10 μm_{\star}

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.