

Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier RBNGB Revision Date: 10/03/2023

Product Name: RUSTBOND NG - PART B Supersedes Date: New SDS

Version Number: 1

UFI Code: Not determined

Nanoform:

1.2 Relevant identified uses of the

substance or mixture and uses advised against

Hardener for 2 components coatings - Industrial use. Please see Technical Data

Sheet. Advised against: others than recommended

Product to be mixed with: RUSTBOND NG - PART A

Mixing ratio by volume Part A/

Part B:

1/1

1.3 Details of the supplier of the safety data sheet

Manufacturer: Api S.p.a.

Via della tecnologia, 7 Z.I San Marco 07041 Alghero (SS)

Italy

Supplier: Carboline Italia, S.p.a.

Via Margherita Viganò De Vizzi, 77 20092 Cinisello Balsamo (MI)

Italy

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium +39 0294759236 Cinisello Balsamo, Italy

Datasheet Produced by: Paiotta, Alice - hms@carboline.com

1.4 Emergency telephone number: CHEMTREC +1 703 5273887 (Outside US)

112 (24/7)

Croatia +3851 2348 342 (24/7 in Croatian and English)

Iceland 112 (24/7) Malta 112 (24/7)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Flammable Liquid, category 3	H226
Skin Irritation, category 2	H315
Skin Sensitizer, category 1	H317
Serious Eye Damage, category 1	H318
Hazardous to the aquatic environment, Chronic, category 3	H412

H226

2.2 Label elements

Symbol(s) of Product







Signal Word

Danger

Named Chemicals on Label

Butan-1-ol, 2,4,6-tris(dimethylaminomethyl)phenol, Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl) phenols, Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled, Sulfonic acids, petroleum, calcium salts

HAZARD STATEMENTS

Flammable Liquid, category 3

Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Serious Eye Damage, category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment, Chronic, category 3	H412	Harmful to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P403+233	Store in a well-ventilated place. Keep container tightly

closed.

Flammable liquid and vapour.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>	,	SCL Value: ATE Value: M-Factor:
Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled 700-991-6 008007-24-7 01-2119502450-57	10 - <25	H302-312-315-317-318 Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Eye Dam. 1, Skin Irrit. 2, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-
xylene 215-535-7 1330-20-7 01-2119488216-32	2.5 - <10	H226-304-312-315-319-332-335-373-412 Acute Tox. 4 Dermal, Acute Tox. 4 Inhalation, Aquatic Chronic 3, Asp. Tox. 1, Eye Irrit. 2, Flam. Liq. 3, Skin Irrit. 2, STOT RE 2, STOT SE 3 RTI	SCL Value: ATE Value: M-Factor:	-

2,4,6-tris(dimethylaminomethyl) phenol 202-013-9 90-72-2 01-2119560597-27-0006	2.5 - <10	H302-314-1C-318 Skin Corr. 1	SCL Value: ATE Value: M-Factor:	-
Butan-1-ol 200-751-6 71-36-3 01-2119484630-38	2.5 - <10	H226-302-315-318-335-336 Acute Tox. 4 Oral, Eye Dam. 1, Flam. Liq. 3, Skin Irrit. 2, STOT SE 3 NE, STOT SE 3 RTI	SCL Value: ATE Value: M-Factor:	-
Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols 701-443-9 01-2119980970-27	2.5 - <10	H315-317-411 Aquatic Chronic 2, Skin Irrit. 2, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics 918-481-9 01-2119457273-39	2.5 - <10	H304 Asp. Tox. 1, Skin Cracking	SCL Value: ATE Value: M-Factor:	-

Sulfonic acids, petroleum, calcium salts	1.0 - <2.5	H317	SCL Value:	-
263-093-9				
61789-86-4			ATE Value:	-
01-2119488992-18		Skin Sens. 1		
			M-Factor:	-

Remarks: Note P

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

6.1.2 For emergency responders

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(EU)

<u>Name</u>	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled	008007-24-7				
xylene	1330-20-7	50	100	442	221
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2				
Butan-1-ol	71-36-3				
Reaction mass of (1-phenylethyl)phenols ar bis-(1-phenylethyl)phenols Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Sulfonic acids, petroleum, calcium salts	61789-86-4				

Name CAS-No. OEL Note

Cashew (Anacardium occidentale) 008

Nutshell Extract, Decarboxylated, Distilled

008007-24-7

xylene 1330-20-7 Sk

2,4,6-tris(dimethylaminomethyl)phenol 90-72-2

Butan-1-ol 71-36-3 Sk

Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Sulfonic acids, petroleum, calcium salts 61789-86-4

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

xylene

EC No.: CAS-No.: 215-535-7 1330-20-7

DNELs - Derived no effect level

		Wo	orkers		Consumers				
Route of	Acute effect	Acute effects	Chronic effects	Chronic effects	Acute effect	Acute effects	Chronic effects	Chronic effects	
Exposure	local	systemic	local	systemic	local	systemic	local	systemic	
Oral		Not required				1.6 mg/kg bw/da			
Inhalation	289 mg/m ³	289 mg/m ³		77 mg/m³	174 mg/m ³	174 mg/m ³		14.8 mg/m³	
Dermal				180 mg/kg bw/				108 mg/kg bw/	
				day				day	

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.327 mg/L
Fresh water sediments	12.46 mg/kg
Marine water	0.327 mg/L
Marine sediments	12.46 mg/kg
Food chain	
Microorganisms in sewage treatment	6.58 mg/L
soil (agricultural)	2.31 mg/kg
Air	

Chemical Name:

2,4,6-tris(dimethylaminomethyl)phenol

EC No.: CAS-No.: 202-013-9 90-72-2

DNELs - Derived no effect level

		Wo	rkers			Con	sumers	
Route of	Acute effect	Acute effects	Chronic effects	Chronic effects	Acute effect	Acute effects	Chronic effects	Chronic effects
Exposure	local	systemic	local	systemic	local	systemic	local	systemic
Oral		Not required						
Inhalation		0.52 mg/m3	4.9 mg/m3	0.31 mg/m3				
Dermal		0.6 mg/kg bw/		0.15 mg/kg bw/				
		day		day				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC				
Fresh water	0.084 mg/L				
Fresh water sediments					
Marine water 0.0084 mg/L					
Marine sediments					
Food chain					
Microorganisms in sewage treatment	0.2 mg/L				
soil (agricultural)					
Air					

Chemical Name:

Butan-1-ol

EC No.: CAS-No.: 200-751-6 71-36-3

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic effects	Chronic effects	Acute effect	Acute effects	Chronic effects	Chronic effects
Exposure	local	systemic	local	systemic	local	systemic	local	systemic
Oral	Not required							3,1 mg/kg bw/day
Inhalation			310 mg/m3				55 mg/m3	
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC			
Fresh water	0,082 mg/l			
Fresh water sediments	0,178 mg/kg dw			
Marine water	0,0082 mg/l			
Marine sediments	0,0178 mg/kg dw			
Food chain				
Microorganisms in sewage treatment				
soil (agricultural) 0,015 mg/kg dw				
Air				

Chemical Name:

Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols

EC No.: CAS-No.:

701-443-9

DNELs - Derived no effect level

		Workers			Consumers			
Route of	Acute effect	Acute effects	Chronic effects	Chronic effects	Acute effect	Acute effects	Chronic effects	Chronic effects
Exposure	local	systemic	local	systemic	local	systemic	local	systemic
Oral		Not required						-
Inhalation				1.21 mg/m3				
Dermal				2.87 mg/kg bw/				
				day				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	11.5 μg/L
Fresh water sediments	1.564 mg/kg dw
Marine water	1.15 μg/L
Marine sediments	0.156 mg/kg dw
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	0.305 mg/kg dw
Air	

Chemical Name:

Sulfonic acids, petroleum, calcium salts

EC No.: CAS-No.: 263-093-9 61789-86-4

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic effects	Chronic effects	Acute effect	Acute effects	Chronic effects	Chronic effects
Exposure	local	systemic	local	systemic	local	systemic	local	systemic
Oral		Not required						833.3 μg/kg bw/
								day
Inhalation				11.75 mg/m ³				2.9 mg/m ³
Dermal			1.03 mg/cm ²	3.33 mg/kg bw/			513 μg/cm ²	1.667 mg/kg bw/
	day							day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	1 mg/L
Fresh water sediments	226000000 mg/kg sediment dw
Marine water	1 mg/L
Marine sediments	226000000 mg/kg sediment dw
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	271000 g/kg soil dw
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In case of insufficient ventilation wear suitable respiratory equipment. Respirator with combination filter for vapour/particulate (EN 14387:2004+A1:2008). Respirator with filter for organic vapor.

EYE PROTECTION: Tightly fitting safety goggles. Safety glasses with side-shields conforming to EN 166.

HAND PROTECTION: Impervious gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasionProtective gloves complying with EN 374. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Colour: Clear

Physical State Liquid
Odor Ammine

Odor threshold Not determined

pH Not determined

Melting point / freezing point (°C) Not determined

Boiling point or initial boiling point

and boiling range (°C)

66 - 200

Flash Point, (°C) 27

Evaporation rate Not determined Flammability (solid, gas) Not determined

Llower and upper explosive limit Not determined

Vapour Pressure Not determined
Relative vapour density Not determined

Density and/or relative density

Solubility in / Miscibility with water

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Decomposition temperature (°C)

Not determined

Not determined

Not determined

Not determined

Not determined

Particle characteristics Not applicable to liquids

9.2 Other information

VOC Content g/l: 80.00

Grams of VOC per liter of coating product as applied per ISO 11890-1 and/or ISO 11890-2.

Specific Gravity (g/cm3) 0.97

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur.

10.4 Conditions to avoid

Direct sources of heat.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No Information

Irritation: Skin irritant

Corrosivity: Eye damage

Sensitization: Skin sensitizer, category 2

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
1330-20-7	xylene	>2000 mg/kg (oral-rat)	1100 mg/kg (ATE dermal-rabbit)	11 mg/L (ATE inh/ vapour)	4500 ppmV (ATE inh -Gas)	1.5 mg/L (ATE inh/dust/mist)
90-72-2	2,4,6-tris (dimethylaminomethyl)phenol	2169 mg/kg (oral, rat)	2110 mg/kg (dermal, rabbit)	No information	No information	No information
71-36-3	Butan-1-ol	790 mg/kg (oral- rat)	3400 mg/kg (dermal-rabbit)	8000 mg/l 4hrs rat, inhalation	No information	No information
	Reaction mass of (1- phenylethyl)phenols and bis- (1-phenylethyl)phenols	>2000 mg/kg (oral, rat)	>2000 mg/kg (dermal, rat)	No information	No information	No information
	Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	No information	3160 - 5000 mg/ kg bw (dermal- rabbit)	No information	No information	No information
61789-86-4	Sulfonic acids, petroleum, calcium salts	>5000 mg/kg bw (rat) OECD Guideline 401 (Acute Oral Toxicity)	>5000 mg/kg bw New Zealand White rabbit - OECD Guideline 402 (Acute Dermal Toxicity)	No information	No information	No information

Additional Information:

No Information

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability:No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB

assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

12.7 Other adverse effects: No information

CAS-No.	Name According to EEC	EC50 48hr	IC50 72hr	LC50 96hr
008007-24-7	Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled	No information	No information	No information
1330-20-7	xylene	165 mg/L (Daphnia magna 24h)	3 - 5 mg/L (Selenastrum sp.)	2 - 11 mg/L (Roccus saxatilis), 8.2 mg/L (Salmo gairdneri), 13.5 mg/L (Lepomis macrichirus), 21.0 mg/L (Pimephales promelas)
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	718 mg/L (EC50, 96h, Palaeomonetes vulgaris)	84 mg/L (EC50, 72h, Desmodesmus subspicatus)	175 mg/L (LC50, 96h, Cyprinus carpio)
71-36-3	Butan-1-ol	No information	No information	1740 mg/l (Pimephales promelas)
	Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols	1 - 10 mg/L (EL50, Daphnia)	3.14 mg/L (EL50, Algae)	14.8 mg/L (Fish)
61789-86-4	Sulfonic acids, petroleum, calcium salts	>1000 mg/L EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)	>1000 mg/L Pseudokirchneriella subcapitata- EPA OTS 797.1050 (Algal Toxicity Tiers I and II)	No information

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code: No Information Packaging Waste Code: No Information

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	UN1263	UN1263	UN1263	UN1263
14.2	UN proper shipping name	PAINT	PAINT	PAINT	PAINT
14.3	Transport Hazard Class(es)	3	3	3	3
14.4	Packing Group	III	III	III	III
14.5	Enviromental Hazards	Marine pollutant: NO	Marine pollutant: NO	Marine pollutant: NO	Marine pollutant: NO

14.6 Special precautions for user Not applicable EmS-No.: F-E, S-E

14.7 Maritime transport in bulk according to IMO Not applicable intruments

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number:

Danish MAL Code:

Not available

Danish MAL Code - Mixture:

Not available

Sweden Product Registration Number:

Not available

Norway Product Registration Number:

Not available

Germany WGK Class:

Not available

Directive 2004/42/CE: 500 g/l (subcat j)

Covered by Directive 2012/18/EC (Seveso III):

Restrictions to product or to substances according

to Annex XVII, Regulation (CE) 1907/2006: Entry 3, 40

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H1C	<undefined></undefined>
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

This is a new Safety Data Sheet (SDS).

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form

of

or incorporated in particles with aerodynamic diameter \leq 10 μ m.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.