

Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

V175 **Revision Date:** 11-11-2025 1.1 Product Identifier

Supersedes Date: 29-10-2025 **CARBOCRYLIC 3333 PMP Product Name:**

> 2 **Version Number:**

UFI Code: 44GJ-S14S-C00M-D3D4

Contain nanoform:

1.2 Relevant identified uses of the substance or mixture and

uses advised against

Monocomponent industrial coating - Industrial use. Advised against: others than

recommended Waterborne paint.

Not applicable Product to be mixed with:

Mixing ratio by volume Part A/

Part B:

Not applicable

Details of the supplier of the safety data sheet 1.3

> Carboline Italia, S.p.a. Supplier:

Via Margherita Viganò De Vizzi, 77 20092 Cinisello Balsamo (MI)

Italy

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium +39 0294759236 Cinisello Balsamo, Italy

regulatoryeurope@carboline.com

CHEMTREC +1 703 5273887(Outside US) 1.4 **Emergency telephone number:**

112(24 / 7)

Croatia +3851 2348 342(24 / 7 In Croatian And English)

Iceland 112(24 / 7) Malta 112(24 / 7)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

ADDITIONAL INFORMATION

ADD-09

2.2 Label elements

Symbol(s) of Product

No Hazard Symbols Exist

Signal Word

Warning

Named Chemicals on Label

None

HAZARD STATEMENTS

Other EU extensions EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

PRECAUTION PHRASES

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

2.3 Other hazards

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

| Name According to | <u>%</u> | <u>Classifications</u> | SCL Value: |
|-------------------|----------|------------------------|------------|
| EEC EINEC No. | | | ATE Value: |
| CAS-No. | | | M-Factor: |
| REACH Reg No. | | | |
| | | | |

| alumina trihydrate | 2.5 - <10 | | SCL Value: | - |
|---|-------------|------------------------------------|------------------------|---|
| 244-492-7 | | | Value. | |
| 21645-51-2 | | | | |
| 01-2119529246-39 | | | | |
| 01-2119329240-39 | | | ATE Value: | - |
| | | | | |
| | | | M-Factor: | - |
| | | | (acute) | |
| | | | | |
| | | | M-Factor: (chronic) | - |
| | | | (critoriic) | |
| diam's and a state | 2.5 - <10 | | SCL Value: | _ |
| titanium dioxide 236-675-5 | 2.5 - 110 | | SCL value: | |
| | | | | |
| 13463-67-7 | | | | |
| 01-2119489379-17 | | | ATE Value: | - |
| | | | | |
| | | | M-Factor: | - |
| | | | (acute) | |
| | | | | |
| | | | M-Factor: | - |
| | | | (chronic) | |
| | 0.1 - <1.0 | | l | |
| 1-(2-butoxy-1-methylethoxy) propan-2-ol | 0.1 - < 1.0 | | SCL Value: | - |
| 249-951-5 | | | | |
| 29911-28-2 | | | | |
| 01-2119451543-42 | | | ATE Value: | - |
| | | | | |
| | | | M-Factor: | _ |
| | | | (acute) | |
| | | | | |
| | | | M-Factor: | - |
| | | | (chronic) | |
| | <0.1 | | _ | |
| edta disodic salt | <0.1 | H332-373 | SCL Value: | - |
| 139-33-3 | | | | |
| No Information | | | | |
| | | Acute Tox. 4 Inhalation, STOT RE 2 | ATE Value: | - |
| | | | | |
| | | | M-Factor: | _ |
| | | | (acute) | |
| | | | | |
| | | | M-Factor: | - |
| | | | (chronic) | |
| | | | - | |

Remarks: CAS 13463-67-7: Note 10

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: Show this safety data sheet to the doctor in attendance.

AFTER INHALATION: Move to fresh air. Provide fresh air, rest and warmth. Call a physician immediately. Give oxygen or artificial respiration if needed. When risk of unconsciousness, place and transport the victim in secured recovery position. AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Do not use solvent or thinners to clean skin. AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: If vomiting occurs spontaneously: Keep head below hips to prevent aspiration of stomach vomit into lungs. Provide fresh air, rest and warmth. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation. May cause sensitization by skin contact. Irritating to eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11. When symptoms persist or in all cases of doubt seek medical advice.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above. Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Heating or fire conditions liberates toxic gas. Flash back possible over considerable distance. As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Vapours may form explosive mixtures with air. Solvent vapours are heavier than air and may spread along floors and ignite.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Keep containers and surroundings cool with water spray.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition.

6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only explosion-proof equipment. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used. Apply technical measures to comply with the occupational exposure limits (see section 8). People handling polyurethane or epoxy products must have received special training according to guidelines from the National Occupational Health and Safety Board. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid heat, sparks, flames and other ignition sources.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store in upright position only. Storage of flammable liquids.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (EU)

| <u>Name</u> | CAS-No. | | LTEL ppm | STEL ppm | STEL mg/m3 | LTEL mg/m3 |
|--|------------|----------|----------|----------|------------|------------|
| alumina trihydrate | 21645-51-2 | | | | | |
| titanium dioxide | 13463-67-7 | | | | | |
| 1-(2-butoxy-1-methylethoxy)propan-2-ol | 29911-28-2 | | | | | |
| edta disodic salt | 139-33-3 | | | | | |
| Name | CAS-No. | OEL Note | | | | |
| alumina trihydrate | 21645-51-2 | | | | | |
| titanium dioxide | 13463-67-7 | | | | | |
| 1-(2-butoxy-1-methylethoxy)propan-2-ol | 29911-28-2 | | | | | |
| edta disodic salt | 139-33-3 | | | | | |

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation. Annotations: Carc = Capable of causing cancer and/or heritable genetic damage, Sen = Capable of causing occupational asthma, Sk = Can be absorbed through the skin.

Chemical Name:

titanium dioxide

EC No.: CAS-No.: 236-675-5 13463-67-7

DNELs - Derived no effect level

| | | Workers | | | Consumers | | | |
|------------|--------------|---------------|-----------------|-----------------|---------------|---------------|-----------------|-----------------|
| Route of | Acute effect | Acute effects | Chronic effects | Chronic effects | Acute effect | Acute effects | Chronic effects | Chronic effects |
| Exposure | local | systemic | local | systemic | local | systemic | local | systemic |
| Oral | | Not required | | | 700 mg/kg/ bv | | | 700 mg/kg/ bw/ |
| | | | | | | | | day |
| Inhalation | | | 5 mg/m³ | | | | 5 mg/m³ | |
| Dermal | | | | | | | | |

PNEC's - Predicted no effect concentration

| Environmental protection target | PNEC |
|------------------------------------|-------------------|
| Fresh water | 0.127 mg/L |
| Fresh water sediments | 1000 mg/kg dw |
| Marine water | 1 mg/L |
| Marine sediments | 100 mg/kg dw |
| Food chain | 1667 mg/kg (oral) |
| Microorganisms in sewage treatment | 100 mg/kg |
| soil (agricultural) | 100 mg/kg dw |
| Air | |

Chemical Name:

1-(2-butoxy-1-methylethoxy)propan-2-ol

EC No.: CAS-No.: 249-951-5 29911-28-2

DNELs - Derived no effect level

| | Workers | | | | Con | sumers | | |
|------------|--------------|---------------|-----------------|-----------------------|--------------|---------------|-----------------|----------------------|
| Route of | Acute effect | Acute effects | Chronic effects | Chronic effects | Acute effect | Acute effects | Chronic effects | Chronic effects |
| Exposure | local | systemic | local | systemic | local | systemic | local | systemic |
| Oral | | Not required | | | | <u> </u> | | 16 mg/kg/day |
| Inhalation | | | | 189 mg/m ³ | | | | 56 mg/m ³ |
| Dermal | | | | 134 mg/kg/day | | | | 80 mg/kg/day |

PNEC's - Predicted no effect concentration

| Environmental protection target | PNEC |
|------------------------------------|-----------------|
| Fresh water | 0.519 mg/L |
| Fresh water sediments | 2.96 mg/kg/day |
| Marine water | 0.052 mg/L |
| Marine sediments | 0.296 mg/kg/day |
| Food chain | |
| Microorganisms in sewage treatment | 100 mg/L |
| soil (agricultural) | 0.287 mg/kg/day |
| Air | |

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Wear a self-contained breathing apparatus or full-face airline respirator during spraying operations and long-term exposure. When working in confined or poorly ventilated spaces, a battery powered assisted air-fed mask must be used. When painting small areas, or when using a roller or brush, respiratory protection with combination filter (dust and gas filter, EN 14387:2004+A1:2008) may be used: Gas filter type A2 (organic substances). Dust filter P3 (for fine dust).

EYE PROTECTION: Safety glasses with side-shields conforming to EN 166. If splashes are likely to occur, wear: Face-shield, tightly fitting safety goggles (EN 166).

HAND PROTECTION: Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due

to the numerous outside influences (e.g. temperature). Use chemical resistant gloves and lotions and barrier creams to prevent drying of the skin. Protective gloves complying with EN 374: Butyl rubber. Nitril rubber. Recommended glove material for mixed product: Protective gloves complying with EN 374: Butyl rubber. Nitril rubber. Thickness >= 0,5 mm; breakthrough time >=480 min.

Body Protection: Long sleeved clothing.

Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location.

Not determined

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Colour: Misc. Colours

Physical State Liquid
Odor Weak

Odor threshold

PH

Not determined

Melting point / freezing point (°C)

Not determined

Boiling point or initial boiling point

Not determined

and boiling range (°C)

Relative vapour density

Flash Point, (°C)

Evaporation rate

Not determined

Flammability (solid, gas)

Not determined

 Llower and upper explosive limit
 Not determined

 Vapour Pressure
 Not determined

Density and/or relative density 1.08 - 1.12

Solubility in / Miscibility with water

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Particle characteristics Not applicable to liquids

9.2 Other information

Specific Gravity (g/cm3) 1.10

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No reactivity hazards known under normal storage and use conditions.

10.4 Conditions to avoid

Avoid heat, sparks, flames and other ignition sources.

10.5 Incompatible materials

Strong oxidizing agents. Keep away from strong oxidising agents and strongly acid or alkaline materials.

10.6 Hazardous decomposition products

In case of fire or hot work operations, **hazardous decomposition products** may be formed such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), aliphatic amines, aldehydes.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No information available.

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

| CAS-No. | Name According to EEC | Oral LD50 | Dermal LD50 | Vapor LC50 | Gas LC50 | Dust/Mist LC50 |
|------------|---|----------------------------|------------------------------|----------------|----------------|-------------------------|
| 21645-51-2 | alumina trihydrate | >2000 mg/Kg (LD50, rat) | | | 0.000 | 0.000 |
| 13463-67-7 | titanium dioxide | >5000 mg/kg (oral-rat) | 10000 mg/kg | No information | No information | >6.82 mg/L (inh-rat-4h) |
| 29911-28-2 | 1-(2-butoxy-1-methylethoxy) propan-2-ol | 3700 mg/Kg (Oral, rat) | >2000 mg/kg (Dermal, rat) | No information | No information | No information |

Additional Information:

Harmful if swallowed. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated skin contact leads to irritation and to sensitisation, possible with cross-sensitisation to other epoxies. This product may contain Titanium Dioxide, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. This classification is relevant when exposed to titanium dioxide in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities. Chronic exposure has been associated with various neurotoxic effects including permanent brain damage. The product is irritating to the eyes and may cause sensitisation to the respiratory system. Swallowing concentrated chemical may cause severe internal injury.

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia): No information IC50 72hr (Algae): No information LC50 96hr (fish): No information No information

12.2 Persistence and degradability:

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB

assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

Based on the available data, the product does not contain substances identified as having endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration of 0,1% or higher.

12.7 Other adverse effects: No information

| CAS-No. | Name According to EEC | EC50 48hr | IC50 72hr | LC50 96hr |
|------------|--|--|---|---|
| | | | | |
| 21645-51-2 | alumina trihydrate | No information | No information | |
| 13463-67-7 | titanium dioxide | >1000 mg/L (LC50, statisk, Daphnia magna, OECD202) | >100 mg/L (EC50, statisk, Pseudokirchnerella subcapitata, OECD201) | >1000 mg/L (LC50, statisk, Pimephales promelas, EPA-540/9-85-006) |
| 29911-28-2 | 1-(2-butoxy-1-methylethoxy)propan-2-ol | >1000 mg/L (CL50, 48h, Daphnia magna - static) | No information | 841 mg/L (CL50, 96h, Poecilia reticulata) |

139-33-3 edta disodic salt No information No information

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of waste material at an approved (hazardous) waste treatment/disposal facility in accordance with applicable local state, and federal regulations. Do not dispose of waste with normal garbage, or to sewer systems.

European Waste Code: 08 01 20 **Packaging Waste Code:** 15 01 04

SECTION 14: Transport Information

| | | ADR/RID | ADN | IMDG | IATA |
|------|-------------------------------|---|---|---|---|
| 14.1 | UN-number or ID number | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2 | UN proper shipping name | Not regulated for transport according to ADR/RID, IMDG, and IATA regulations. | Not regulated for transport according to ADR/RID, IMDG, and IATA regulations. | Not regulated for transport according to ADR/RID, IMDG, and IATA regulations. | Not regulated for transport according to ADR/RID, IMDG, and IATA regulations. |
| 14.3 | Transport Hazard Class(es) | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4 | Packing Group | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5 | Enviromental Hazards | Not regulated | Not regulated | Marine Pollutant: Not regulated | Not regulated |

14.6 Special precautions for user Not applicableEmS-No.: Not applicable

14.7 Maritime transport in bulk according to IMO Not applicable intruments

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number: Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

Germany WGK Class: Not available

Directive 2004/42/CE: Ready to use 0g/L (subcat j:500 g/L)

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according

to Annex XVII, Regulation (CE) 1907/2006: Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

Reasons for revision

Substance Chemical Name Changed
Substance and/or Product Properties Changed in Section(s):
15 - Regulatory Information
Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes. .

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million
mg/m3 Milligrams per cubic meter
TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

JN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 $\mbox{\ensuremath{\$}}$ or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter \leq 10 $\mu\text{m}\text{.}$

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.