

**Safety Data Sheet according to Regulation  
(EC) 'No. 2020/878**



**SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking**

|  |   |                         |            |
|--|---|-------------------------|------------|
| <b>1.1 Product Identifier</b>  | 0311AN016A  | <b>Revision Date:</b>   | 06/06/2024 |
| <b>Product Name:</b>   | PHENOLINE 311 PRIMER PART<br>A  | <b>Supersedes Date:</b> | 07/12/2023 |
| <b>UFI Code:</b>   | No Information  |                         |            |
| <b>Contain nanoform:</b>   | No  |                         |            |
| <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> | Base component of 2 components coating - Industrial use. Advised against: others than recommended   |                         |            |
| <b>1.3 Details of the supplier of the safety data sheet</b>                              |   |                         |            |
| <b>Importer:</b>   | None  |                         |            |
| <b>Manufacturer:</b>   | StonCor Middle East L.L.C.<br>Plot # B518, Al Quoz Industrial Area 3<br>P.O. Box: 3034<br>Dubai, U.A.E.   |                         |            |
|  | Regulatory / Technical Information:<br>+971 4 347 0460<br>+971 4 347 0242 (fax)   |                         |            |
| <b>Datasheet Produced by:</b>  | Rivero, Melody - ehs@stoncor.com  |                         |            |
| <b>1.4 Emergency telephone number:</b>   | CHEMTREC +1 703 5273887 (Outside US)<br>112 (24/7)<br>Croatia +3851 2348 342 (24/7 in Croatian and English)<br>Iceland 112 (24/7)<br>Malta 112 (24/7) |                         |            |

**SECTION 2: Hazards Identification**

**2.1 Classification of the substance or mixture**

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

**HAZARD STATEMENTS**

|   |         |
|---|---------|
| Flammable Liquid, category 2                              | H225    |
| Skin Irritation, category 2                               | H315    |
| Skin Sensitizer, category 1                               | H317    |
| Eye Irritation, category 2                                | H319    |
| Carcinogenicity, category 1A                              | H350-1A |
| Hazardous to the aquatic environment, Chronic, category 3 | H412    |

**2.2 Label elements****Symbol(s) of Product****Signal Word**

Danger

**Named Chemicals on Label**

formaldehyde, oligomeric reaction product, 1-chloro-2,3-epoxypropane and phenol, quartz (silicon dioxide)

**HAZARD STATEMENTS**

|   |         |  |
|---|---------|--|
| Flammable Liquid, category 2                              | H225    | Highly flammable liquid and vapour.                |
| Skin Irritation, category 2                               | H315    | Causes skin irritation.                            |
| Skin Sensitizer, category 1                               | H317    | May cause an allergic skin reaction.               |
| Eye Irritation, category 2                                | H319    | Causes serious eye irritation.                     |
| Carcinogenicity, category 1A                              | H350-1A | May cause cancer.                                  |
| Hazardous to the aquatic environment, Chronic, category 3 | H412    | Harmful to aquatic life with long lasting effects. |

**PRECAUTION PHRASES**

|              |   |
|--------------|---|
| P201         | Obtain special instructions before use.   |
| P202         | Do not handle until all safety precautions have been read and understood.   |
| P210         | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                      |
| P235         | Keep cool.  |
| P261         | Avoid breathing dust/fume/gas/mist/vapours/spray.   |
| P273         | Avoid release to the environment.   |
| P280         | Wear protective gloves/protective clothing/eye protection/face protection.  |
| P284         | Wear respiratory protection.  |
| P302+352     | IF ON SKIN: Wash with plenty of soap and water.   |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| P308+313     | IF exposed or concerned: Get medical advice/attention.  |
| P333+313     | If skin irritation or rash occurs: Get medical advice/attention.  |
| P403+233     | Store in a well-ventilated place. Keep container tightly closed.  |

**2.3 Other hazards**

No Information

**Results of PBT and vPvB assessment:**

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

**Endocrine disrupting properties - Toxicity**

Name According to EEC

CAS-No.

No Information

**Endocrine disrupting properties - Ecotoxicity**

Name According to EEC

CAS-No.

No Information

**SECTION 3: Composition/Information On Ingredients**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

**Hazardous ingredients**

| <u>Name According to EEC</u><br><u>EINEC No.</u><br><u>CAS-No.</u><br><u>REACH Reg No.</u>   | <u>%</u> | <u>Classifications</u>   | SCL Value:<br>ATE Value:<br>M-Factor:  |                  |
|--|----------|--|--|------------------|
| formaldehyde, oligomeric reaction product, 1-chloro-2,3-epoxypropane and phenol<br>500-006-8<br>9003-36-5<br>01-2119454392-40-0007 | 10 - <25 | H315-317-319-411<br><br>Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1 | SCL Value:<br><br>ATE Value:<br><br>M-Factor: (acute)<br><br>M-Factor: (chronic) | -<br>-<br>-<br>- |

|  |           |   |  |  |
|--|-----------|---|--|--|
| barite<br>236-664-5<br>13462-86-7<br>No Information                                  | 2.5 - <10 |   | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |
| Heptan-2-one<br>203-767-1<br>110-43-0<br>No Information                              | 2.5 - <10 | H226-302-332<br><br>Acute Tox. 4 Inhalation, Acute Tox. 4 Oral,<br>Flam. Liq. 3     | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |
| benzene, 1-chloro-4-<br>(trifluoromethyl)-<br>202-681-1<br>98-56-6<br>No Information | 2.5 - <10 | H226-315-319-335<br><br>Eye Irrit. 2, Flam. Liq. 3, Skin Irrit. 2, STOT SE<br>3 RTI | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |

|   |            |  |  |  |
|---|------------|--|--|--|
| titanium dioxide<br>236-675-5<br>13463-67-7<br>No Information | 2.5 - <10  | H351<br><br>Carc. 2  | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |
| Xylene<br>215-535-7<br>1330-20-7<br>No Information            | 1.0 - <2.5 | H226-315-332<br><br>Acute Tox. 4 Inhalation, Flam. Liq. 3, Skin Irrit. 2 | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |
| Acetone<br>200-662-2<br>67-64-1<br>No Information             | 1.0 - <2.5 | H225-319-336<br><br>Eye Irrit. 2, Flam. Liq. 2, STOT SE 3 NE             | <b>SCL Value:</b> -<br><br><b>ATE Value:</b> -<br><br><b>M-Factor:<br/>(acute)</b> -<br><br><b>M-Factor:<br/>(chronic)</b> - |  |

|   |                      |   |   |  |
|---|----------------------|---|---|--|
| <p>Solvent naphtha (petroleum), light arom.<br/>265-199-0<br/>64742-95-6<br/>No Information</p> | <p>1.0 - &lt;2.5</p> | <p>H304-411<br/><br/>Aquatic Chronic 2, Asp. Tox. 1</p> | <p><b>SCL Value:</b> -<br/><br/><b>ATE Value:</b> -<br/><br/><b>M-Factor: (acute)</b> -<br/><br/><b>M-Factor: (chronic)</b> -</p> |  |
| <p>red iron oxide<br/>215-168-2<br/>1309-37-1<br/>No Information</p>                            | <p>1.0 - &lt;2.5</p> |   | <p><b>SCL Value:</b> -<br/><br/><b>ATE Value:</b> -<br/><br/><b>M-Factor: (acute)</b> -<br/><br/><b>M-Factor: (chronic)</b> -</p> |  |
| <p>quartz (silicon dioxide)<br/>238-878-4<br/>14808-60-7<br/>No Information</p>                 | <p>0.1 - &lt;1.0</p> | <p>H350-370<br/><br/>Carc. 1A, STOT SE 1</p>            | <p><b>SCL Value:</b> -<br/><br/><b>ATE Value:</b> -<br/><br/><b>M-Factor: (acute)</b> -<br/><br/><b>M-Factor: (chronic)</b> -</p> |  |

|  |      |                         |                                |   |
|--|------|-------------------------|--------------------------------|---|
| Solvent naphtha (petroleum),<br>medium aliph.<br>265-191-7<br>64742-88-7<br>No Information | <0.1 | H304<br><br>Asp. Tox. 1 | <b>SCL Value:</b>              | - |
|  |      |                         | <b>ATE Value:</b>              | - |
|  |      |                         | <b>M-Factor:<br/>(acute)</b>   | - |
|  |      |                         | <b>M-Factor:<br/>(chronic)</b> | - |

**Additional Information:** The text for CLP Hazard Statements shown above (if any) is given in Section 16.

## SECTION 4: First-aid Measures

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

No Information

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting Measures

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

**FOR SAFETY REASONS NOT TO BE USED:** Alcohol, Alcohol based solutions, any other media not listed above.

### 5.2 Special hazards arising from the substance or mixture

No Information

### 5.3 Advice for firefighters

Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## SECTION 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition.

#### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

## SECTION 7: Handling and Storage

### 7.1 Precautions for safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically; always use earthing leads when transferring from one container to another. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only explosion-proof equipment. Keep away from sources of ignition - No smoking. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Direct sources of heat.

**STORAGE CONDITIONS:** Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Ingredients with Occupational Exposure Limits (EU)

| Name  | CAS-No.     | LTEL ppm | STEL ppm | STEL mg/m3 | LTEL mg/m3 |
|---|-------------|----------|----------|------------|------------|
| formaldehyde, oligomeric reaction product, 1-chloro-2,3-epoxypropane and phenol | 1-9003-36-5 |          |          |            |            |
| barite  | 13462-86-7  |          |          |            |            |
| Heptan-2-one  | 110-43-0    | 50       | 100      | 475        | 238        |
| benzene, 1-chloro-4-(trifluoromethyl)-  | 98-56-6     |          |          |            |            |
| titanium dioxide  | 13463-67-7  |          |          |            |            |
| Xylene  | 1330-20-7   | 50       | 100      | 442        | 221        |



|  |            |     |      |
|--|------------|-----|------|
| Acetone                                    | 67-64-1    | 500 | 1210 |
| Solvent naphtha (petroleum), light arom.   | 64742-95-6 |     |      |
| red iron oxide                             | 1309-37-1  |     |      |
| quartz (silicon dioxide)                   | 14808-60-7 |     |      |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 |     |      |

| <u>Name</u>   | <u>CAS-No.</u> | <u>OEL Note</u> |
|---|----------------|-----------------|
| formaldehyde, oligomeric reaction product, 1-chloro-2,3-epoxypropane and phenol | 9003-36-5      |                 |
| barite  | 13462-86-7     |                 |
| Heptan-2-one  | 110-43-0       | SKIN            |
| benzene, 1-chloro-4-(trifluoromethyl)-  | 98-56-6        |                 |
| titanium dioxide  | 13463-67-7     |                 |
| Xylene  | 1330-20-7      | SK              |
| Acetone   | 67-64-1        |                 |
| Solvent naphtha (petroleum), light arom.  | 64742-95-6     |                 |
| red iron oxide  | 1309-37-1      |                 |
| quartz (silicon dioxide)  | 14808-60-7     |                 |
| Solvent naphtha (petroleum), medium aliph.                                      | 64742-88-7     |                 |

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

#### Chemical Name:

EC No.:

CAS-No.:

#### DNELs - Derived no effect level

| Route of Exposure | Workers            |                        |                       |                          | Consumers          |                        |                       |                          |
|-------------------|--------------------|------------------------|-----------------------|--------------------------|--------------------|------------------------|-----------------------|--------------------------|
|                   | Acute effect local | Acute effects systemic | Chronic effects local | Chronic effects systemic | Acute effect local | Acute effects systemic | Chronic effects local | Chronic effects systemic |
| Oral              | Not required       |                        |                       |                          |                    |                        |                       |                          |
| Inhalation        |                    |                        |                       |                          |                    |                        |                       |                          |
| Dermal            |                    |                        |                       |                          |                    |                        |                       |                          |

#### PNEC's - Predicted no effect concentration

| Environmental protection target                        | PNEC |
|--|------|
| Fresh water  |      |
| Fresh water sediments                                  |      |
| Marine water   |      |
| Marine sediments                                       |      |
| Food chain   |      |
| Microorganisms in sewage treatment soil (agricultural) |      |
| Air  |      |

## 8.2 Exposure controls

### Personal Protection

**RESPIRATORY PROTECTION:** Respirator with a vapor filter.

**EYE PROTECTION:** Tightly fitting safety goggles.

**HAND PROTECTION:** Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

## SECTION 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

|   |                           |
|---|---------------------------|
| Colour:   | Red Viscous Liquid        |
| Physical State  | Liquid                    |
| Odor  | Epoxy                     |
| Odor threshold  | Not determined            |
| pH  | Not determined            |
| Melting point / freezing point (°C)                           | Not determined            |
| Boiling point or initial boiling point and boiling range (°C) | 80 - 200                  |
| Flash Point, (°C)   | 21                        |
| Evaporation rate  | Not determined            |
| Flammability (solid, gas)                                     | Not determined            |
| Lower and upper explosive limit                               | 0.9 - 12.8                |
| Vapour Pressure   | Not determined            |
| Relative vapour density                                       | Not determined            |
| Density and/or relative density                               | Not determined            |
| Solubility in / Miscibility with water                        | Not determined            |
| Partition coefficient: n-octanol/water                        | Not determined            |
| Auto-ignition temperature (°C)                                | Not determined            |
| Decomposition temperature (°C)                                | Not determined            |
| Kinematic viscosity   | Unknown                   |
| Particle characteristics                                      | Not applicable to liquids |

### 9.2 Other information

|                                       |       |
|---------------------------------------|-------|
| VOC Content g/l:                      | 231   |
| Specific Gravity (g/cm <sup>3</sup> ) | 2.168 |

## SECTION 10: Stability and Reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under recommended storage conditions. Risk of ignition.

**10.3 Possibility of hazardous reactions**

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Direct sources of heat.

**10.5 Incompatible materials**

Strong oxidizing agents.

**10.6 Hazardous decomposition products**Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute Toxicity:****Oral LD50:** No information available.**Inhalation LC50:** No information available.**Dermal LD50:** No Information**Irritation:** No information available.**Corrosivity:** No information available.**Sensitization:** No information available.**Repeated dose toxicity:** No information available.**Carcinogenicity:** No information available.**Mutagenicity:** No information available.**Toxicity for reproduction:** No information available.**STOT-single exposure:** No information available.**STOT-repeated exposure:** No information available.**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested.  
Data on individual components are tabulated below:

| <u>CAS-No.</u> | <u>Name According to EEC</u>               | <u>Oral LD50</u>           | <u>Dermal LD50</u>      | <u>Vapor LC50</u>                 | <u>Gas LC50</u> | <u>Dust/Mist LC50</u> |
|----------------|--|----------------------------|-------------------------|-----------------------------------|-----------------|-----------------------|
| 110-43-0       | Heptan-2-one                               | 1670 mg/kg rat<br>oral     |                         | 2000 ppm, 4<br>hours              | 0.000           | 0.000                 |
| 98-56-6        | benzene, 1-chloro-4-<br>(trifluoromethyl)- | 6800 mg/kg, oral,<br>rat   |                         | 4479 ppm                          | 0.000           | 0.000                 |
| 13463-67-7     | titanium dioxide                           | 10000 mg/m3,<br>oral (rat) |                         |                                   | 0.000           | 0.000                 |
| 1330-20-7      | Xylene                                     | 3523 mg/kg, rat,<br>oral   | 12126 mg/kg,<br>rabbitt | 5000 ppm/4 hrs<br>rat, inhalation | 0.000           | 0.000                 |

|            |  |                        |                         |                                   |       |       |
|------------|--|------------------------|-------------------------|-----------------------------------|-------|-------|
| 67-64-1    | Acetone                                    | 5800 mg/kg (rat)       | 7426 mg/kg (guinea pig) | 5000 ppm / 1 hr, rat, inh         | 0.000 | 0.000 |
| 64742-95-6 | Solvent naphtha (petroleum), light arom.   | 4700 mg/kg, oral, rat  | >2000 mg/kg             | 3670 ppm/8 hours, rat, inhalation | 0.000 | 0.000 |
| 64742-88-7 | Solvent naphtha (petroleum), medium aliph. | >2000 mg/kg, oral, rat |                         |                                   | 0.000 | 0.000 |

**Additional Information:**

No Information

**11.2 Information on other hazards****Endocrine disrupting properties - Toxicity**

Name According to EEC

CAS-No.

No Information

**SECTION 12: Ecological Information****12.1 Toxicity:**

EC50 48hr (Daphnia): No information

IC50 72hr (Algae): No information

LC50 96hr (fish): No information

**12.2 Persistence and degradability:** No information**12.3 Bioaccumulative potential:** No information**12.4 Mobility in soil:** No information**12.5 Results of PBT and vPvB assessment:** The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.**12.6 Endocrine disrupting properties****Endocrine disrupting properties - Ecotoxicity**

Name According to EEC

CAS-No.

No Information

**12.7 Other adverse effects:** No information

| <u>CAS-No.</u> | <u>Name According to EEC</u>  | <u>EC50 48hr</u> | <u>IC50 72hr</u> | <u>LC50 96hr</u> |
|----------------|---|------------------|------------------|------------------|
| 9003-36-5      | formaldehyde, oligomeric reaction product, 1-chloro-2,3-epoxypropane and phenol | No information   | No information   |                  |
| 13462-86-7     | barite  | No information   | No information   |                  |
| 110-43-0       | Heptan-2-one  | No information   | No information   |                  |
| 98-56-6        | benzene, 1-chloro-4-(trifluoromethyl)-  | No information   | No information   |                  |

|            |  |   |                |                    |
|------------|--|---|----------------|--------------------|
| 13463-67-7 | titanium dioxide                           | >100 mg/l (EC50, 48h,<br>Daphnia magna<br>OECD202)ation | No information | >1000 mg/l         |
| 1330-20-7  | Xylene                                     | 3.82 mg/l   | No information | 24-30 mg/l, minnow |
| 67-64-1    | Acetone                                    | 12600 -12700 mg/l                                       | No information | 5540 mg/l          |
| 64742-95-6 | Solvent naphtha (petroleum), light arom.   | >1 - 10 mg/l  | >1 - 10 mg/l   | >10-100 mg/l       |
| 1309-37-1  | red iron oxide                             | No information  | No information |                    |
| 14808-60-7 | quartz (silicon dioxide)                   | No information  | No information |                    |
| 64742-88-7 | Solvent naphtha (petroleum), medium aliph. | No information  | No information |                    |

## SECTION 13: Disposal Considerations

**13.1 WASTE TREATMENT METHODS:** Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**European Waste Code:** 080111  
**Packaging Waste Code:** 150110

**SECTION 14: Transport Information**

|  | ADR/RID        | ADN            | IMDG           | IATA           |
|--|----------------|----------------|----------------|----------------|
| <b>14.1 UN-number or ID number</b>     | UN 1263        | UN 1263        | UN 1263        | UN 1263        |
| <b>14.2 UN proper shipping name</b>    | Paint          | Paint          | Paint          | Paint          |
| <b>14.3 Transport Hazard Class(es)</b> | 3              | 3              | 3              | 3              |
| <b>14.4 Packing Group</b>              | II             | II             | II             | II             |
| <b>14.5 Enviromental Hazards</b>       | No Information | No Information | No Information | No Information |

- 14.6 Special precautions for user**                      Unknown  
**EmS-No.:**    F-E, S-E
- 14.7 Maritime transport in bulk according to IMO intruments**      Unknown

**SECTION 15: Regulatory Information****15.1 Safety, health and environmental regulations/legislation for the substance or mixture:****National Regulations:**

- Denmark Product Registration Number:**                      Not available
- Danish MAL Code:**    Not available
- Danish MAL Code - Mixture:**                                      Not available
- Sweden Product Registration Number:**                      Not available
- Norway Product Registration Number:**                      Not available
- Germany WGK Class:**    Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not applicable

**Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:**

CAS-No.      Name According to EEC

Not Applicable

**SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):**

CAS-No.      Name According to EEC

Not Applicable

**15.2 Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**SECTION 16: Other Information**

**Text for CLP Hazard Statements shown in Section 3 describing each ingredient:**

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.              |
| H226 | Flammable liquid and vapour.                     |
| H302 | Harmful if swallowed.                            |
| H304 | May be fatal if swallowed and enters airways.    |
| H315 | Causes skin irritation.                          |
| H317 | May cause an allergic skin reaction.             |
| H319 | Causes serious eye irritation.                   |
| H332 | Harmful if inhaled.                              |
| H335 | May cause respiratory irritation.                |
| H336 | May cause drowsiness or dizziness.               |
| H350 | May cause cancer.                                |
| H351 | Suspected of causing cancer.                     |
| H370 | Causes damage to organs.                         |
| H411 | Toxic to aquatic life with long lasting effects. |

**Reasons for revision**

Substance and/or Product Properties Changed in Section(s):

08 - Exposure Controls/Personal Protection

09 - Physical and Chemical Properties

Revision Statement(s) Changed

## List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

## Acronym &amp; Abbreviation Key:

|                   |   |
|-------------------|---|
| CLP               | Classification, Labeling & Packaging Regulation   |
| EC                | European Commission   |
| EU                | European Union  |
| US                | United States   |
| CAS               | Chemical Abstract Service   |
| EINECS            | European Inventory of Existing Chemical Substances  |
| REACH             | Registration, Evaluation, Authorization of Chemicals Regulation   |
| GHS               | Globally Harmonized System of Classification and Labeling of Chemicals  |
| LTEL              | Long term exposure limit  |
| STEL              | Short term exposure limit   |
| OEL               | Occupational exposure limit   |
| ppm               | Parts per million   |
| mg/m <sup>3</sup> | Milligrams per cubic meter  |
| TLV               | Threshold Limit Value   |
| ACGIH             | American Conference of Governmental Industrial Hygienists   |
| OSHA              | Occupational Safety & Health Administration   |
| PEL               | Permissible Exposure Limits   |
| VOC               | Volatile organic compounds  |
| g/l               | Grams per liter   |
| mg/kg             | Milligrams per kilogram   |
| N/A               | Not applicable  |
| LD50              | Lethal dose at 50%  |
| LC50              | Lethal concentration at 50%   |
| EC50              | Half maximal effective concentration  |
| IC50              | Half maximal inhibitory concentration   |
| PBT               | Persistent bioaccumulative toxic chemical   |
| vPvB              | Very persistent and very bioaccumulative  |
| EEC               | European Economic Community   |
| ADR               | International Transport of Dangerous Goods by Road  |
| RID               | International Transport of Dangerous Goods by Rail  |
| UN                | United Nations  |
| IMDG              | International Maritime Dangerous Goods Code   |
| IATA              | International Air Transport Association   |
| MARPOL            | International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 |
| IBC               | International Bulk Container  |
| RTI               | Respiratory Tract Irritation  |
| NE                | Narcotic Effects  |



IMO International Maritime Organization  
Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene  
Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.