Safety Data Sheet according to Regulation (EC) 'No. 2020/878



SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	A788A0000B SPLASH ZONE A-788 PART B	Revision Date: Supersedes Date:	26/04/2024 06/12/2023
1.2	UFI Code: Contain nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No Component of multicomponent indust others than recommended	rial coatings - Industrial use. Advised	l against:
1.3	Details of the supplier of the safety Importer: Manufacturer:	ety data sheet None StonCor Middle East L.L.C. Plot # B518, Al Quoz Industrial Area 3 P.O. Box: 3034 Dubai, U.A.E.		

	Regulatory / Technical Information: +971
Datasheet Produced by:	Rivero, Melody - ehs@stoncor.com
Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US) 112 (24/7) Croatia +3851 2348 342 (24/7 in Croatian and English) Iceland 112 (24/7)

Malta 112 (24/7)

SECTION 2: Hazards Identification

1.4

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Skin Irritation, category 2	H315
Skin Sensitizer, category 1	H317
Serious Eye Damage, category 1	H318
Carcinogenicity, category 1A	H350-1A
STOT, single exposure, category 1	H370
Hazardous to the aquatic environment, Chronic, category 2	H411

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

quartz (silicon dioxide), Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18unsatd., branched and linear, TEPA and TETA, reaction products with glycidyl tolyl ether

HAZARD STATEMENTS

Skin Irritation, category 2 Skin Sensitizer, category 1 Serious Eye Damage, category 1 Carcinogenicity, category 1A STOT, single exposure, category 1 Hazardous to the aquatic environment, Chronic, category 2 PRECAUTION PHRASES	H315 H317 H318 H350-1A H370 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause cancer. Causes damage to organs. Toxic to aquatic life with long lasting effects.
	P201 P202 P260 P264 P273 P280 P284 P301+310 P302+352 P305+351+338 P307+311 P308+313 P314	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/ face protection. Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. IF exposed, call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.
	P333+313 P391	If skin irritation or rash occurs: Get medical advice/attention. Collect spillage.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity				
Name According to EEC	CAS-No.			
No Information				
Endocrine disrupting properties - Ecotoxicity				
Name According to EEC	CAS-No.			

No Information

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>	SCL Value: ATE Value: M-Factor:	
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear, TEPA and TETA, reaction products with glycidyl tolyl ether 157707-73-8 01-2119972324-36	25 - <50	H315-317-318-411	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	-

quartz (silicon dioxide) 238-878-4	25 - <50	H350-370	SCL Value:	-
14808-60-7			ATE Value:	-
No Information		Carc. 1A, STOT SE 1		
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
2,4,6-tris(dimethylaminomethyl) phenol	2.5 - <10	H315-319	SCL Value:	-
202-013-9			ATE Value:	-
90-72-2		Eye Irrit. 2, Skin Irrit. 2		
No Information			M-Factor: (acute)	-
			M-Factor: (chronic)	-
carbon black 215-609-9	0.1 - <1.0	H351	SCL Value:	-
1333-86-4			ATE Value:	-
No Information		Carc. 2		
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

6.1.2 For emergency responders

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(EU)

Name Fatty acids, C18-unsatd., dimers, oligomer reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear, TE and TETA, reaction products with glycidyl tolyl ether			<u>LTEL ppm</u>	<u>STEL ppm</u>	<u>STEL mg/m3</u>	<u>LTEL mg/m3</u>
quartz (silicon dioxide)	14808-60-7					
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2					
carbon black	1333-86-4					
Name	CAS-No.	OEL Note				
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear, TEPA and TETA, reaction products with glycidyl tolyl ether	157707-73-8					
quartz (silicon dioxide)	14808-60-7					
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2					
carbon black	1333-86-4					

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

DNELs - Derived no effect level

		Wo	orkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation			· ·					
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Respirator with filter for organic vapor.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1	Information on basic physical and chemical p Colour:	properties Viscous Black Liquid
	Physical State	Liquid
	Odor	Slighht Amine
	Odor threshold	Not determined
	рН	Not determined
	Melting point / freezing point (°C)	Not determined
	Boiling point or initial boiling point and boiling range (°C)	130 - 277
	Flash Point, (°C)	93
	Evaporation rate	Slower Than Ether
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	Not determined
	Vapour Pressure	Not determined
	Relative vapour density	

	Heavier Than Air
Density and/or relative density	Not determined
Solubility in / Miscibility with water	Not determined
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature (°C)	Not determined
Decomposition temperature (°C)	Not determined
Kinematic viscosity	Unknown
Particle characteristics	Not applicable to liquids
Other information VOC Content g/I:	0

SECTION 10: Stability and Reactivity

10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability Stable under normal conditions.

Specific Gravity (g/cm3)

10.3 Possibility of hazardous reactions Hazardous polymerisation may occur.

- **10.4 Conditions to avoid** Direct sources of heat.
- **10.5 Incompatible materials** Strong oxidizing agents.
- **10.6 Hazardous decomposition products** Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

1.650

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:	
Oral LD50:	No information available.
Inhalation LC50:	No information available.
Dermal LD50:	No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.

Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-	<u>-No.</u>	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
90-7	/2-2	2,4,6-tris (dimethylaminomethyl)phenol	2169 mg/kg oral			0.000	0.000
1333	3-86-4	carbon black	>15400 mg/kg oral, rat			0.000	0.000
	i onal Info formatior	ormation:					
11.2 Information on other hazards							
Endocrine disrupting properties - Toxicity							
	Name /	According to EEC	CAS-No.				

No Information

SECTION 12: Ecological Information

12.1 Toxicity:

	EC50 48hr (Daphnia):	No information
	IC50 72hr (Algae):	No information
	LC50 96hr (fish):	No information
12.2	Persistence and degradability:	No information
12.3	Bioaccumulative potential:	No information
12.4	Mobility in soil:	No information
12.5	Results of PBT and vPvB assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.
12.6	Endocrine disrupting properties	
	Endocrine disrupting properties - Ecotoxicit	y
	Name According to EEC	CAS-No.
	No Information	

12.7 Other adverse effects:

No information

CAS-No.	Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
157707-73-8	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear, TEPA and TETA, reaction products with glycidyl tolyl ether	No information	No information	
14808-60-7	quartz (silicon dioxide)	No information	No information	
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	No information	No information	
1333-86-4	carbon black	No information	No information	

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:080111Packaging Waste Code:150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	UN 3082	UN 3082	UN 3082	UN 3082
14.2	UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.
14.3	Transport Hazard Class(es)	9	9	9	9
14.4	Packing Group	Ш	Ш	Ш	Ш
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Unknown	
	EmS-No.:	F-A,	S-F

14.7 Maritime transport in bulk according to IMO Unknown intruments

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H411	Toxic to aquatic life with long lasting effects.

Reasons for revision

Substance and/or Product Properties Changed in Section(s): 08 - Exposure Controls/Personal Protection Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

EC European Commission EU Buropean Union EN Buropean Union US United States CAS Chemical Abstract Service EINECS European Inventory of Existing Chemical Substances REACH Registration, Evaluation, Authorization of Chemicals Regulation GHS Globally Harmonized System of Classification and Labeling of Chemicals LTEL Long term exposure limit Occupational exposure limit Milligrams per cubic meter TIV Threshold Limit Value ACGIH American Conference of Governmental Industrial Hygienists OSGA Compational Safety 6 Health Administration PEL Permissible Exposure Limits VCC Volatile organic compounds g/l Grams per liter mg/kg Milligrams per Kilogram N/A Not applicable LDS0 Lethal dose at 50% ECS0 Half maximal effective concentration FBT Persistent bioaccumulative toxic chemical VPVB Very persistent and very bioaccumulative ECS0 Half maximal inhibitory concentration FBT Persistent bioaccumulative toxic chemical VPVB Very persistent and very bioaccumulative ECC European Economic Community <th>CLP</th> <th>Classification, Labeling & Packaging Regulation</th>	CLP	Classification, Labeling & Packaging Regulation
EUEuropean UnionUSUnited StatesCASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitOccupational exposure limitDFMParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPFTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeLD6International Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeLTATInternational Air Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeLTATRespiratory Tract IrritationNARPOLInternational Maritime OrganizationNMRPOLInternational Maritime OrganizationNMRPOLInternational Maritime OrganizationNMRPOLInternational Maritime		
USUnited StatesCASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitDELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTIVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSRAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMiligrams per kilogramN/ANot applicableLD50Lethal concentration at 50%EC50Half maximal effective concentrationPETPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic ComunityADRInternational Transport of Dangerous Goods by RoadIDInternational Air Transport Socods by RoadIDInternational Air Transport of Dangerous Goods by RoadIDInternational Air Transport of Dangerous Goods by RoadIDInternational Air Transport of 1976IRCInternational Martime Dangerous Goods by RoadIDInternational Air Transport of SociationMARFOLInternational Martime Dangerous Goods by Road <td></td> <td>-</td>		-
CASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesERACHRegistration, Evaluation, Authorization of Chemicals RegulationCHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitOELOccupational exposure limitOELOccupational exposure limitORMMilligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal concentration at 50%LC50Half maximal effective concentrationPBTPersistent and very bicaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Timesport associationMAROLInternational Air Timesport associationMAROLInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Pervention of Pollution From Ships, 1973 as modified by the Protocol of 1978RECInternational Bulk ContainerRITRespiratory Tract IrritationNENarcotic Eff		1
EINECS European Inventory of Existing Chemical Substances REACH Registration, Evaluation, Authorization of Chemicals Regulation GHS Globally Harmonized System of Classification and Labeling of Chemicals LTEL Long term exposure limit STEL Short term exposure limit OCL Occupational exposure limit ppm Parts per million mg/m3 Milligrams per cubic meter TIV Threshold Limit Value ACGTH American Conference of Governmental Industrial Hygienists OSHA Occupational Safety & Health Administration PEL Permissible Exposure Limits VOC Volatile organic compounds g/l Grams per liter mg/kg Milligrams per klogram N/A Not applicable LD50 Lethal dose at 50% LC50 Half maximal inhibitory concentration TEC European Economic Community PET Persistent bioaccumulative toxic chemical VPVB Very persistent and very bioaccumulative EEC European Economic Community ADR International Transport of Dangerous Goods by Road RID International Maritime Dangerous Goods by Rail UN United Nations MAROL International Maritime Dangerous Goods by Road RID International Maritime Dangerous Goods by Road RID International Maritime Companization MARPOL International Maritime Companization MARPOL International Maritime Companization NARPOL International Maritime Companization NARPOL International Maritime Organization NARPOL International Bulk Container RIT Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply, the substance contains less than 0,1 % ww benzene Note 10: The classification as a carcinogen or mutagen need not apply, the substance contains less than 0,1 % ww benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
NEACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitOELOccupational exposure limitDPmParts per millionmg/m3Milligrams per cubic meterTIVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMiligrams per kilogramN/ANot applicableLD50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Lethal dose at 50%VPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationNARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote FP:The classification as a carcinoge or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote ID:The classification as a carcinoge or mutagen need not apply; the substance contains less than 0,1 % w/w benzene		
GRSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal inhibitory concentrationTG50Half maximal inhibitory concentrationPBTPersistent bloaccumulative toxic chemicalVPVBVery persistent and very bloaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P:The classification as a carcinogen or mutagen need		
LTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal infibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Nort Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply, the substance		
STELShort term exposure limitOELOccupational exposure limitOPMParts per millionmg/n3Milligrams per cubic meterTIVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationTECFersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDCInternational Maritime Dangerous Goods CodeIATAInternational Mir Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Mir Transport of Pervention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Buik ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P:The classification as a carcinogen or mutagen need not ap		
OELOccupational exposure limitppmParts per millionmg/m3Miligrams per cubic meterTVvThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal inhibitory concentrationPETPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport of 1978IBCInternational Air Transport of Pangerous Goods by RoadRIDInternational Air Transport of Pangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote I0:The classification as a carcinogen or mutagen need not apply	STEL	
ppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RailUNNUnited NationsIMDGInternational Transport of Dangerous Goods CodeIATAInternational Aritime Dangerous Goods CodeIATAInternational Transport AssociationMARPOLInternational KortainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNot P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	OEL	-
mg/m3Milligrams per cubic meterTIVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationIC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Maritime Dangerous Goods CodeIATAInternational Maritime OrganizationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen or mutagen need not apply; the form of	maa	
TLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationTG50Half maximal effective toxic chemicalvPvBVery persistent biaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Maritime OrganizationNMENarcotic EffectsIMOInternational Air Transport AssociationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
ACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationCS0Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalVPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRTDInternational Transport of Dangerous Goods by RailUNUnited NationsMMRPOLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMRRPOLInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Maritime CorganizationNENacrotic EffectsIMOInternational Maritime OrganizationNet P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	2	
OSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%C50Half maximal effective concentration750Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsMMRPOLInternational Air Transport AssociationMARPOLInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime CorganizationNRENacrotic EffectsIMOInternational Maritime OrganizationNENacrotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	ACGIH	American Conference of Governmental Industrial Hygienists
PELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationIC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational KontainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
VOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationDFTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Aritime Dangerous Goods CodeIATAInternational Aritime Dangerous Goods CodeIATAInternational Air Transport AssociationMRRPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	PEL	
g/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRTDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	VOC	-
mg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	a/1	
N/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
LD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	LD50	Lethal dose at 50%
IC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	LC50	Lethal concentration at 50%
PBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	EC50	Half maximal effective concentration
PBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IC50	Half maximal inhibitory concentration
EECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	PBT	
ADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	vPvB	Very persistent and very bioaccumulative
RIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	EEC	European Economic Community
UNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	ADR	International Transport of Dangerous Goods by Road
UNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	RID	International Transport of Dangerous Goods by Rail
 IATA International Air Transport Association MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of 	UN	United Nations
MARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IMDG	International Maritime Dangerous Goods Code
modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IATA	International Air Transport Association
IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
RTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		modified by the Protocol of 1978
NENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IBC	International Bulk Container
IMOInternational Maritime OrganizationIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	RTI	Respiratory Tract Irritation
Note P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	NE	Narcotic Effects
contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IMO	International Maritime Organization
Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	Note P:	The classification as a carcinogen or mutagen need not apply; the substance
powder form containing 1 $\%$ or more of titanium dioxide which is in the form of		
	Note 10:	
or incorporated in particles with perodynamic diameter ≤ 10 µm		
of incorporated in particles with actodynamic drameter - 10 pm.		or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.

Date Printed: 26/04/2024