Safety Data Sheet according to Regulation (EC) 'No. 2020/878



SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	5301A0000C CARBOGLAS 5301 CATALYST	Revision Date: Supersedes Date:	09/05/2024 06/04/2020
1.2	UFI Code: Contain nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No Component of multicomponent industr others than recommended	rial coatings - Industrial use. Advised	l against:
1.3	Details of the supplier of the safety Importer: Manufacturer:	v data sheet None StonCor Middle East L.L.C. Plot # B518, Al Quoz Industrial Area 3 P.O. Box: 3034 Dubai, U.A.E.		

Regulatory / Technical Information:
+971 4 347 0460
+971 4 347 0242 (fax)

	Datasheet Produced by:	Rivero, Melody - ehs@stoncor.com
1.4	Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US) 112 (24/7) Croatia +3851 2348 342 (24/7 in Croatian and English) Iceland 112 (24/7) Malta 112 (24/7)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Flammable Liquid, category 3	H226
Skin Corrosion, category 1	H314-1
Acute Toxicity, Inhalation, category 4	H332

2.2 Label elements



Signal Word

Danger

Named Chemicals on Label

methyl ethyl ketone peroxide

HAZARD STATEMENTS

Flammable Liquid, category 3 Skin Corrosion, category 1 Acute Toxicity, Inhalation, category 4 PRECAUTION PHRASES	H226 H314-1 H332	Flammable liquid and vapour. Causes severe skin burns and eye damage. Harmful if inhaled.
	D 010	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P363	Wash contaminated clothing before reuse.
	P403+233	Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

No Information

Endocrine disrupting properties - Ecotoxicity

Name According to EEC

No Information

SECTION 3: Composition/Information On Ingredients

CAS-No.

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>		SCL Value: ATE Value: M-Factor:
dimethylphthalate 205-011-6	50 - <75		SCL Value:	-
131-11-3			ATE Value:	-
No Information			M-Factor: (acute)	-
			M-Factor: (chronic)	-
methyl ethyl ketone peroxide 215-661-2	25 - <50	H302-314-332	SCL Value:	-
1338-23-4 No Information			ATE Value:	-
No mormation		Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Skin Corr. 1	M-Factor: (acute)	-
			M-Factor: (chronic)	-

Product: 5301A0000C

Butanone 201-159-0	2.5 - <10	H225-319-336	SCL Value:	-
78-93-3			ATE Value:	-
No Information		Eye Irrit. 2, Flam. Liq. 2, STOT SE 3 NE	M-Factor: (acute)	-
			M-Factor: (chronic)	-

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

Flash back possible over considerable distance. In the event of fire, wear self-contained breathing apparatus. Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition.

6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only explosion-proof equipment. Keep away from sources of ignition - No smoking. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(EU)

<u>Name</u>	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
dimethylphthalate	131-11-3				
methyl ethyl ketone peroxide	1338-23-4				
Butanone	78-93-3	200	300	900	600
<u>Name</u>	CAS-No. OEL	Note			
dimethylphthalate	131-11-3				

methyl ethyl ketone peroxide	1338-23-4
Butanone	78-93-3

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

EC No.: CAS-No.:

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Respirator with a vapor filter.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Colour: Clear, Oily Liquid **Physical State** Liquid Odor Ketone Odor threshold Not determined рH Not determined Melting point / freezing point (°C) Not determined Boiling point or initial boiling point and 78 - 280 boiling range (°C) Flash Point, (°C) 55

Specific Gravity (g/cm3)

Corrosivity:

	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	Not determined
	Vapour Pressure	Not determined
	Relative vapour density	Not determined
	Density and/or relative density	Not determined
	Solubility in / Miscibility with water	Slight
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Kinematic viscosity	Unknown
	Particle characteristics	Not applicable to liquids
9.2	Other information VOC Content g/I:	10

SE	CTION 10: Stability and Rea	ctivity	
10.1	Reactivity No reactivity hazards known under	normal storage and use conditions.	
10.2	Chemical stability Stable under recommended storage	conditions. Risk of ignition.	
10.3	Possibility of hazardous reactions Hazardous polymerisation does not	occur.	
10.4	Conditions to avoid Direct sources of heat.		
10.5	5 Incompatible materials Strong oxidizing agents.		
10.6	Hazardous decomposition products Carbon dioxide (CO2), carbon mono	s oxide (CO), oxides of nitrogen (NOx), dense black smoke.	
SE	SECTION 11: Toxicological information		
11.1	Information on hazard classes as	definied in Regulation (EC) No 1272/2008	
	Acute Toxicity:		
	Oral LD50:	No information available.	
	Inhalation LC50:	No information available.	
	Dermal LD50:	No Information	

1.160

No information available.

Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	<u>Gas LC50</u>	Dust/Mist LC50
131-11-3	dimethylphthalate	4400 mg/kg, oral rabbit			0.000	0.000
1338-23-4	methyl ethyl ketone peroxide	1017 mg/kg, oral, rat		17 mg/L / 4h mouse, inh	0.000	0.000
78-93-3	Butanone	2737 mg/kg rat, oral		5000 ppm / 1 hour rat, inhalation	0.000	0.000

Additional Information:

No Information

11.2 Information on other hazards

Name According to EEC CAS-No.

No Information

SECTION 12: Ecological Information

12.1 Toxicity:

	EC50 48hr (Daphnia):	No information
	IC50 72hr (Algae):	No information
	LC50 96hr (fish):	No information
12.2	Persistence and degradability:	No information
12.3	Bioaccumulative potential:	No information
12.4	Mobility in soil:	No information
12.5	Results of PBT and vPvB assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties

	Endocrine disrupting properties - Ecotoxicity				
	Name According to EEC		CAS-No.		
No Information		Information			
12.7 Other adverse effects: No information					
CAS-No	<u>0.</u>	Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
131-11-	-3	dimethylphthalate	No information	No information	
1338-23	3-4	methyl ethyl ketone peroxide	No information	No information	
78-93-3	3	Butanone	No information	No information	

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	080111
Packaging Waste Code:	150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	UN 3105	UN 3105	UN 3105	UN 3105
14.2	UN proper shipping name	Organic Peroxide, Liquid	Organic Peroxide, Liquid	Organic Peroxide, Liquid	Organic Peroxide, Liquid
14.3	Transport Hazard Class(es)	5.2	5.2	5.2	5.2
14.4	Packing Group	II	II	II	11
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6 Special precautions for user Unknown EmS-No.:

F-J, S-R

14.7 Maritime transport in bulk according to IMO Unknown intruments

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

Date Printed: 09/05/2024

Reasons for revision

- Substance and/or Product Properties Changed in Section(s):
- 01 Identification
- 02 Hazard Identification
- 03 Composition/Information On Ingredients
- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 11 Toxicological Information
- 14 Transportation Information
- 15 Regulatory Information

Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, 1	Labeling & Packaging Regulation
EC European Commiss.	ion
EU European Union	
US United States	
CAS Chemical Abstrac	z Service
EINECS European Invento:	ry of Existing Chemical Substances
REACH Registration, Eva	aluation, Authorization of Chemicals Regulation
GHS Globally Harmonia	zed System of Classification and Labeling of Chemicals
LTEL Long term exposure	e limit
STEL Short term exposu:	re limit
OEL Occupational exp	osure limit
ppm Parts per million	1
mg/m3 Milligrams per cubi	c meter
TLV Threshold Limit	Value
ACGIH American Conference	of Governmental Industrial Hygienists
OSHA Occupational Safe	ty & Health Administration
PEL Permissible Expo	sure Limits
VOC Volatile organic	compounds
g/l Grams per liter	
mg/kg Milligrams per ki	logram
N/A Not applicable	
LD50 Lethal dose at 50	8
LC50 Lethal concentrat	ion at 50%
EC50 Half maximal effe	ctive concentration
IC50 Half maximal inhib	pitory concentration
PBT Persistent bioac	cumulative toxic chemical
vPvB Very persistent a	nd very bioaccumulative
EEC European Economi	c Community
ADR International Tra	ansport of Dangerous Goods by Road
RID International Tra	ansport of Dangerous Goods by Rail
UN United Nations	
IMDG International Mar.	itime Dangerous Goods Code

IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.