# Safety Data Sheet according to Regulation (EC) 'No. 2020/878



# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	0703A7038A CARBOGUARD 703 PART A	Revision Date: Supersedes Date:	10/07/2024 11/07/2023		
1.2	UFI Code: Contain nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No Component of multicomponent indust others than recommended	rial coatings - Industrial use. Advised	l against:		
1.3	Details of the supplier of the safety	<sup>,</sup> data sheet				
	Importer:	None				
	Manufacturer:	StonCor Middle East L.L.C. Plot # B518, Al Quoz Industrial Area 3 P.O. Box: 3034 Dubai, U.A.E.				
		Regulatory / Technical Information: +971 4 347 0460 +971 4 347 0242 (fax)				
	Datasheet Produced by:	Rivero, Melody - ehs@stoncor.com				

 
 1.4 Emergency telephone number:
 CHEMTREC +1 703 5273887 (Outside US) 112 (24/7) Croatia +3851 2348 342 (24/7 in Croatian and English) Iceland 112 (24/7) Malta 112 (24/7)

# **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

### HAZARD STATEMENTS

Skin Irritation, category 2	H315
Skin Sensitizer, category 1	H317
Eye Irritation, category 2	H319
Carcinogenicity, category 1A	H350-1A
STOT, single exposure, category 1	H370
Hazardous to the aquatic environment, Chronic, category 2	H411

### 2.2 Label elements

### Symbol(s) of Product



### Signal Word

Danger

### Named Chemicals on Label

quartz (silicon dioxide), Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700), Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

## HAZARD STATEMENTS

Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2	H319	Causes serious eye irritation.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, single exposure, category 1	H370	Causes damage to organs.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/

P280	Wear protective gloves/protective clothing/eye protection/ face protection.
P284	Wear respiratory protection.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do so.
	Continue rinsing.
P307+311	IF exposed, call a POISON CENTER or doctor/physician.
P308+313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.

# 2.3 Other hazards

## No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity						
Name According to EEC	CAS-No.					
No Information						
Endocrine disrupting properties - Ecotoxicity						
Name According to EEC	CAS-No.					

No Information

# SECTION 3: Composition/Information On Ingredients

### 3.1 Substances

Not applicable

3.2 Mixtures

### Hazardous ingredients

Name According to EEC EINEC No. CAS-No.	<u>%</u>	<u>Classifications</u>		GCL Value: ATE Value: M-Factor:
REACH Reg No.			<b>'</b>	
quartz (silicon dioxide) 238-878-4	50 - <75	H350-370	SCL Value:	-
14808-60-7 No Information		Carc. 1A, STOT SE 1	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

Date Printed: 10/07/2024

1	1		I.	
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25 - <50	H315-317-319-411	SCL Value:	-
500-033-5			ATE Value:	-
25068-38-6		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1		
01-2119456619-26-0029			M-Factor: (acute)	-
			M-Factor: (chronic)	-
Oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	2.5 - <10	H315-317	SCL Value:	-
271-846-8			ATE Value:	_
68609-97-2		Skin Irrit. 2, Skin Sens. 1		
No Information			M-Factor: (acute)	-
			M-Factor: (chronic)	-
titanium dioxide 236-675-5	1.0 - <2.5	H351	SCL Value:	-
13463-67-7			ATE Value:	-
No Information		Carc. 2		
			M-Factor: (acute)	-
			M-Factor:	-
			(chronic)	

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

# **SECTION 4: First-aid Measures**

### 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

No Information

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### **SECTION 5: Firefighting Measures**

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture No Information

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Dry powder Foam Carbon dioxide (CO2).

### **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

#### 6.1.2 For emergency responders

No Information

#### 6.2 Environmental precautions

No Information

#### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

#### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

### SECTION 7: Handling and Storage

#### 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Avoid prolonged contact with eyes, skin and clothing.

When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid dust accumulation in enclosed space.

### **STORAGE CONDITIONS:** Keep tightly closed in a dry and cool place.

### 7.3 Specific end use(s)

No specific advice for end use available.

### SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control parameters

## Ingredients with Occupational Exposure Limits

(EU)

<u>Name</u>	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
quartz (silicon dioxide)	14808-60-7					
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25068-38-6					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2					
titanium dioxide	13463-67-7					
Name	CAS-No.	OEL Note				
quartz (silicon dioxide)	14808-60-7					
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25068-38-6					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2					
titanium dioxide	13463-67-7					

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

#### Chemical Name:

EC No.: CAS-No.:

#### **DNELs - Derived no effect level**

		Wo	orkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required					
Inhalation								
Dermal								

### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

### 8.2 Exposure controls

### Personal Protection

**RESPIRATORY PROTECTION:** In case of insufficient ventilation wear suitable respiratory equipment.

EYE PROTECTION: Tightly fitting safety goggles.

**HAND PROTECTION:** Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing.

**OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties				
9.1	Information on basic physical and chemical properties Colour: Liquid			
	Physical State	Liquid		
	Odor	Mild		
	Odor threshold	Not determined		
	рН	Not determined		
	Melting point / freezing point (°C)	Not determined		
	Boiling point or initial boiling point and boiling range (°C)	111 - 174		
	Flash Point, (°C)	200		
	Evaporation rate	Slower Than Ether		
	Flammability (solid, gas)	Not determined		
	Llower and upper explosive limit	Not determined		
	Vapour Pressure	Not determined		
	Relative vapour density	Heavier Than Air		
	Density and/or relative density	Not determined		
	Solubility in / Miscibility with water	Not determined		
	Partition coefficient: n-octanol/water	Not determined		
	Auto-ignition temperature (°C)	Not determined		
	Decomposition temperature (°C)	Not determined		
	Kinematic viscosity	Unknown		
	Particle characteristics	Not applicable to liquids		
9.2	Other information VOC Content g/I:	28.47		
	Specific Gravity (g/cm3)	1.770		

## **SECTION 10: Stability and Reactivity**

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal conditions.

#### **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

Avoid dust accumulation in enclosed space.

#### 10.5 Incompatible materials No Information

#### 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:	
Oral LD50:	No information available.
Inhalation LC50:	No information available.
Dermal LD50:	No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

9	<u>CAS-No.</u>	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
	25068-38-6	Reaction product: bisphenol- A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	>2000 mg/kg, rat, oral	>2000 mg/kg, rat		0.000	0.000

68609-97-2	Oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	17100 mg/kg, oral, rat	0.000	0.000
13463-67-7	titanium dioxide	10000 mg/m3, oral (rat)	0.000	0.000

## Additional Information:

No Information

# 11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

SE	SECTION 12: Ecological Information					
12.1	12.1 Toxicity:					
	EC	50 48hr (Daphnia):	No info	ormation		
	IC5	0 72hr (Algae):	No inf	ormation		
	LC	50 96hr (fish):	No inf	ormation		
12.2	Persis	tence and degradability:	No inf	ormation		
12.3	Bioac	cumulative potential:	No inf	ormation		
12.4	Mobili	ty in soil:	No inf	ormation		
12.5		ts of PBT and vPvB sment:	The pr	oduct does not meet the	e criteria for PBT/VP	vB in accordance with Annex XIII.
12.6 Endocrine disrupting properties						
	Endo	crine disrupting properties - Ecotoxicity	/			
	Nam	e According to EEC	CAS-No			
	No I	nformation				
12.7	Other	adverse effects:	No inf	ormation		
<u>CAS-</u>	<u>No.</u>	Name According to EEC		<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
14808	8-60-7	quartz (silicon dioxide)		No information	No information	
25068	8-38-6	Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number av molecular weight <= 700)	verage	No information	No information	
68609	9-97-2	Oxirane, mono[(C12-14-alkyloxy)methy derivs.	/l]	No information	No information	
13463	3-67-7	titanium dioxide		>100 mg/l (EC50, 48h, Daphnia magna OECD202)ation	No information	>1000 mg/l

# **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	080111
Packaging Waste Code:	150110

# SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	UN 3082	UN 3082	UN 3082	UN 3082
14.2	UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.	Environmentally Hazardous Substance, Liquid, N.O.S.
14.3	Transport Hazard Class(es)	9	9	9	9
14.4	Packing Group	III	III	III	III
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Unknown	
	EmS-No.:	F-A, S-F	
14.7	Maritime transport in bulk according to IMO intruments	Unknown	

# **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number:

Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available
Covered by Directive 2012/18/EC (Seveso III):	Not applicable
Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:	Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16: Other Information**

### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.

H370	Causes damage to organs.
H411	Toxic to aquatic life with long lasting effects.

#### Reasons for revision

Substance and/or Product Properties Changed in Section(s):
 01 - Identification
 02 - Hazard Identification
 03 - Composition/Information On Ingredients

- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 15 Regulatory Information
- Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations

IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 $\%$ w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 $\%$ or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.