## Safety Data Sheet according to Regulation (EC) 'No. 2020/878



## SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	0874A0000B CARBOGUARD 874 PART B	Revision Date: Supersedes Date:	22/07/2025 05/08/2024
1.2	UFI Code: Contain nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No Hardener for 2 components coatings - recommended	Industrial use. Advised against: oth	ers than
1.3	Details of the supplier of the safety			
	Importer: Manufacturer:	None StonCor Middle East L.L.C. Plot # B518 ALQuoz Industrial Area 3		

		Plot # B518, Al Quoz Industrial Area 3 P.O. Box: 3034 Dubai, U.A.E.
		Regulatory / Technical Information: +971 4 347 0460 +971 4 347 0242 (fax)
	Datasheet Produced by:	Rivero, Melody - ehs@stoncor.com
1.4	Emergency telephone number:	CHEMTREC +1 703 5273887(Outside US) 112(24 / 7) Croatia +3851 2348 342(24 / 7 In Croatian And English) Iceland 112(24 / 7) Malta 112(24 / 7)

## **SECTION 2: Hazards Identification**

## 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

## HAZARD STATEMENTS

Flammable Liquid, category 3	H226
Skin Corrosion, category 1	H314-1
Skin Sensitizer, category 1	H317
Acute Toxicity, Inhalation, category 4	H332
Hazardous to the aquatic environment, Chronic, category 2	H411

## 2.2 Label elements

## Symbol(s) of Product



## Signal Word

Danger

## Named Chemicals on Label

Ethylbenzene, Triethylenetetramine, Xylene, Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700), polymer of c-18 unsat'd fatty

## HAZARD STATEMENTS

Flammable Liquid, category 3	H226	Flammable liquid and vapour.
Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.

## PRECAUTION PHRASES

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/ face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3 Other hazards

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity				
Name According to EEC CAS-No.				
No Information				
Endocrine disrupting properties - Ecotoxicity				
Name According to EEC CAS-No.				

No Information

## **SECTION 3: Composition/Information On Ingredients**

#### 3.1 Substances

Not applicable

3.2 Mixtures

## Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>	ŀ	CL Value: ATE Value: M-Factor:
polymer of c-18 unsat'd fatty 500-191-5 68082-29-1	25 - <50	H315-318-411	SCL Value:	-
No Information		Aquatic Chronic 2, Eye Dam. 1, Skin Irrit. 2	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

## Date Printed: 22/07/2025

## Product: 0874A0000B

Xylene 215-535-7	25 - <50	H226-315-332	SCL Value:	H226~H332~H312~H3 15~
1330-20-7 No Information		Acute Tox. 4 Inhalation, Flam. Liq. 3, Skin Irrit. 2	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	10 - <25	H315-317-319-411	SCL Value:	-
500-033-5 25068-38-6		Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1	ATE Value:	-
01-2119456619-26-0029			M-Factor: (acute)	-
			M-Factor: (chronic)	-
Ethylbenzene 202-849-4	2.5 - <10	H225-304-315-319-332-373	SCL Value:	-
100-41-4 No Information		Acute Tox. 4 Inhalation, Asp. Tox. 1, Eye Irrit. 2, Flam. Liq. 2, Skin Irrit. 2, STOT RE 2	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

Triethylenetetramine 203-950-6	2.5 - <10	H311-314-317-412	SCL Value:	-
112-24-3				
No Information		Acute Tox. 3 Dermal, Aquatic Chronic 3, Skin Corr. 1, Skin Sens. 1	ATE Value:	-
			M-Factor: (acute)	-
			M-Factor: (chronic)	-

#### Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

## SECTION 4: First-aid Measures

## 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

## 4.2 Most important symptoms and effects, both acute and delayed

No Information

## 4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## **SECTION 5: Firefighting Measures**

## 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture No Information

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

#### 6.1.2 For emergency responders

No Information

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

## SECTION 7: Handling and Storage

## 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Direct sources of heat. **STORAGE CONDITIONS:** Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1 Control parameters

### Ingredients with Occupational Exposure Limits

(EU)

Name	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
polymer of c-18 unsat'd fatty	68082-29-1				
Xylene	1330-20-7	50	100	442	221
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25068-38-6				
Ethylbenzene	100-41-4	100	200	884	442
Triethylenetetramine	112-24-3				
Name	CAS-No. OEL Note	9			
polymer of c-18 unsat'd fatty	68082-29-1				

Xylene	1330-20-7	SK
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	25068-38-6	
Ethylbenzene	100-41-4	SKIN
Triethylenetetramine	112-24-3	

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:	
EC No.:	CAS-No.:

## DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required						
Inhalation			-					
Dermal								

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

### 8.2 Exposure controls

#### Personal Protection

**RESPIRATORY PROTECTION:** Respirator with filter for organic vapor.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves.

**Body Protection:** Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

## SECTION 9: Physical and Chemical Properties

9.1	Information on basic physical and chemical p Colour:	<b>roperties</b> Homogeneous	
	Physical State	Liquid	
	Odor	Not determined	
	Odor threshold	Not determined	

рН	Not determined
Melting point / freezing point (°C)	Not determined
Boiling point or initial boiling point and boiling range (°C)	N.D N.D.
Flash Point, (°C)	25
Evaporation rate	Slower Than Ether
Flammability (solid, gas)	Not determined
Llower and upper explosive limit	Not determined
Vapour Pressure	Not determined
Relative vapour density	Heavier Than Air
Density and/or relative density	Not determined
Solubility in / Miscibility with water	Not determined
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature (°C)	Not determined
Decomposition temperature (°C)	Not determined
Kinematic viscosity	Unknown
Particle characteristics	Not applicable to liquids
Other information	
VOC Content all:	

VOC Content g/I:	200
Specific Gravity (g/cm3)	0.946

## **SECTION 10: Stability and Reactivity**

### 10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

#### **10.2 Chemical stability** Stable under normal conditions.

- **10.3 Possibility of hazardous reactions** Hazardous polymerisation may occur.
- **10.4 Conditions to avoid** Direct sources of heat.
- **10.5 Incompatible materials** Strong oxidizing agents.

## **10.6 Hazardous decomposition products** Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

## SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

## Acute Toxicity:

Oral LD50:

No information available.

Inhalation LC50: Dermal LD50:	No information available. No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	<u>Oral LD50</u>	Dermal LD50	Vapor LC50	<u>Gas LC50</u>	Dust/Mist LC50
68082-29-1	polymer of c-18 unsat'd fatty	2001 mg/kg oral, rat			0.000	0.000
1330-20-7	Xylene	3523 mg/kg, rat, oral	12126 mg/kg, rabbitt	5000 ppm/4 hrs rat, inhalation	0.000	0.000
25068-38-6	Reaction product: bisphenol- A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	>2000 mg/kg, rat, oral	>2000 mg/kg, rat		0.000	0.000
100-41-4	Ethylbenzene	3500 mg/kg rat, oral	5510 mg/kg, rabbit	4000 ppm, rat, 4h	0.000	0.000
112-24-3	Triethylenetetramine	2500 mg/kg rat, oral	805 mg/kg		0.000	0.000

### Additional Information:

No Information

## 11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

## Name According to EEC

CAS-No.

No Information

	ON 12: Ecological Information			
2.1 To	xicity:			
I	EC50 48hr (Daphnia):	No information		
l	IC50 72hr (Algae):	No information		
I	LC50 96hr (fish):	No information		
2.2 Pe	rsistence and degradability:	No information		
2.3 Bio	accumulative potential:	No information		
2.4 Mobility in soil:		No information		
	sults of PBT and vPvB sessment:	The product does not m	eet the criteria for PBT/VF	PvB in accordance with Annex X
2.6 En	docrine disrupting properties			
E	ndocrine disrupting properties - Ecoto	xicity		
٢	lame According to EEC	CAS-No.		
Ν	lo Information			
2.7 Otł	ner adverse effects:	No information		
AS-No.	Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
		No information	IC50 72hr No information	<u>LC50 96hr</u>
8082-29	1 polymer of c-18 unsat'd fatty			<u>LC50 96hr</u> 24-30 mg/l, minnow
2 <b>AS-No.</b> 8082-29- 330-20-7 25068-38-	<ul> <li>polymer of c-18 unsat'd fatty</li> <li>Xylene</li> <li>Reaction product: bisphenol-A-</li> </ul>	No information 3.82 mg/l	No information	
8082-29 330-20-7 5068-38	<ul> <li>polymer of c-18 unsat'd fatty</li> <li>Xylene</li> <li>Reaction product: bisphenol-A-</li> <li>(epichlorhydrin) epoxy resin (numbra)</li> </ul>	No information 3.82 mg/l	No information	
8082-29 330-20-7	<ul> <li>polymer of c-18 unsat'd fatty</li> <li>Xylene</li> <li>Reaction product: bisphenol-A-</li> <li>(epichlorhydrin) epoxy resin (numbrolecular weight &lt;= 700)</li> </ul>	No information 3.82 mg/l ber average No information	No information No information No information	24-30 mg/l, minnow

## **SECTION 13: Disposal Considerations**

**13.1** WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	080111
Packaging Waste Code:	150110

## SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	UN 1263	UN 1263	UN 1263	UN 1263
14.2	UN proper shipping name	Paint	Paint	Paint	Paint
14.3	Transport Hazard Class(es)	3	3	3	3
14.4	Packing Group	111	111		111
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Unknown
	EmS-No.:	F-E, S-E

14.7 Maritime transport in bulk according to IMO Unknown intruments

## **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

#### Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

## CAS-No. Name According to EEC

Not Applicable

### SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: Other Information**

## Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Date Printed: 22/07/2025

#### Reasons for revision

Revision Description Changed Composition Information Changed Substance and/or Product Properties Changed in Section(s): 01 - Identification

- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 14 Transportation Information
- 15 Regulatory Information

Revision Statement(s) Changed

## List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association

#### Date Printed: 22/07/2025

MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 $\%$ or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.